VIVA FITNESS

PUSH YOURSELF



STAY STRONG
STAY AHEAD

PRODUCT CATALOGUE 2026

www.vivafitness.net






'Thoughts become things' when you leave the realm of average thinking and follow your dreams by applying the right decision, driven by your mind. Fitness is a 'state of mind', which needs constant trigger to put ones thought into action.

Every action needs a reason for accomplishing it. Staying fit manifests in the physicality and inner well-being which everyone aspires. Every time you make a resolve and step-up your fitness goals, life gets the better of you and positive thoughts lead to positive outcomes.

VIVA Fitness is an accomplished brand in the world of fitness equipment, designed for both commercial and home use. It thrives on the belief that with the right set of tools, a fitter person is better off in accomplishing his personal and professional goals.





VIRTUAL X
COMMERCIAL TREADMILL






SPECIFICATIONS

- **21.5" HD TFT Screen with different landscape programs.**
- **Supports WI-FI connection & web browsing.**
- AC driving system with adjustable variable frequency.
- 4.0 HP AC continuous (8.0 HP Peak) motor.
- 23" x 64" running surface.
- Speed : 1~20 kmph.
- Precise Incline control from 0~15%.
- With Intelligent Invertor that detects speed variation and adjust automatically.
- Direct speed & incline keys on the console.
- Various motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- With cordless mobile charger.
- Heavy duty reliable 2 ply commercial grade German Siegling running belt.
- Large sized twin cup holder with a built-in tray.
- Emergency stop button.
- Sweat proof console design.
- Maximum User Weight : 180 Kgs.
- LXWXH : 223X95X160 CM.

GENESIS 9i
COMMERCIAL TREADMILL







SPECIFICATIONS

- 27" capacitive touch screen with 1920x1080 HD resolution display.
- Supports Wi-Fi connection and web browsing.
- Durable AC motor driving system with over-current, short-circuit and comprehensive protection function
- 5.0 HP AC continuous (10.0 HP Peak) motor.
- 25" x 67" running surface.
- Speed : 1~25 kmph.
- Precise incline control from -3~18%.
- **Unique - 3% declinable deck.**
- Equipped with an automatic lubrication system.
- Direct speed & incline keys on the console.
- Built-in 24 motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- With cordless mobile charger.
- Heavy duty reliable 2 ply commercial grade German Siegling running belt.
- Large sized twin cup holder with a built-in tray.
- Emergency stop button.
- Sweat proof console design.
- Maximum User Weight : 200 Kgs.
- LXWXH : 221X98X176 CM.

ECO-TECH | AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | TFT | HRC

LEGACY i
COMMERCIAL TREADMILL



SPECIFICATIONS

- **23.8" HD TFT Screen with different landscape programs.**
- **Supports Wi-Fi connection & web browsing.**
- AC driving system with adjustable variable frequency.
- 5 HP AC continuous (10 HP Peak) external roto motor, high heat dissipation performance.
- 23" x 61" running surface.
- Speed 0.8-22kmph.
- Precise incline control from 0-18%.
- Inducing key-press, with direct speed (3/6/9/12) & incline(3/6/9/12) on the TFT screen.
- 36 programs : Fast Motion Mode (1), Classic Mode (3), Interval Mode (3), Custom Mode (12), Marathon Mode (4), Scenario Mode (3), Heart Rate Mode (3) & Fitness Test Mode(7).
- Programs developed by TOORX in collaboration with medical institutions in Italy & refined over a decade of use.
- With USB, audio port, speaker & regular lubrication & replacement reminder.
- **With wireless charger.**
- Bluetooth app with speaker & connectivity with Kinomap.
- Sweat proof console design.
- Large sized twin cup holder.
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- Durable and reliable aluminum side rails.
- With durable Japanese bearing in rollers.
- Maximum user weight : 200kg.
- LXWXH :206X90.5X155 CM.

T6000
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 5.0 HP AC continuous (10 HP Peak) motor.
- 22.5" x 64" running surface.
- Speed 1~25 kmph.
- Precise incline control from 0~20%.
- 16 x 24 cm Dot Matrix & alpha numerical display showing time, speed, distance, incline, calories & heart rate
- Direct speed & Incline keys on the console
- Various motivating programs for different workout requirements.
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Heavy duty reliable orthopaedic running belt.
- Built in speakers
- Sweat proof console design.
- Two Cup / Mobile Holders.
- Maximum User Weight : 200 Kgs.
- LXWXH : 218X97X163 CM

INNOVATIVE FEATURES



End cap & roller protect guide

- End cap installed with safety device for protection of user.



Safe key

- The emergency key with clip
- The user can also push center emergency button.



Grip

- Big, wide and smooth handle feel.
- Wide space structure so that user can work out freely and easily.
- Polyurethane sweat proof material.



Heart rate

- Intelligent heart rate system.
- Comfortable measure of heart rate.



Frame

- Steady elevation system.
- Minimum noise system.
- Advance technology for stable and durable frame.

AC · HAND PULSE · USER PRO · OSD · POWER INCLINE · DOT MATRIX · HRC

T2222
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 4.0 HP AC continuous (8.0 HP Peak) motor.
- 21.5" x 62" running surface.
- Speed 1~25 kmph.
- Precise incline control from 0~15%.
- 7 LED display with dot matrix showing time, speed, distance, incline, calories, & heart rate.
- Direct speed & incline keys on the console.
- Various motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- Heavy duty reliable orthopaedic running belt.
- Large sized, twin cup holder with a built in tray to hold your mobile phone, MP3 and ipod.
- High speed O^2 generator.
- Emergency stop button.
- Sweat proof console design.
- Maximum user weight: 180 kg.
- LXWXH : 214X93X137 CM.

ECO-TECH | AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | DOT MATRIX | HRC

Q9i
COMMERCIAL TREADMILL



SPECIFICATIONS

- **24" HD TFT Screen with different landscape programs.**
- **Supports Wi-Fi connection & web browsing.**
- AC driving system with adjustable variable frequency.
- 5 HP AC continuous (10 HP Peak) external roto motor, high heat dissipation performance.
- 25" x 66" running surface.
- Speed 0.5-25kmph.
- Precise incline control from 0-20%.
- Inducing key-press, with direct speed (3/6/9) & incline(3/6/9) on the TFT screen.
- 38 programs : HRC (4), custom (18), manual (1), target (3), fatburn (3), cardio (3), strength (5) & fat measuring program.
- Programs developed by TOORX in collaboration with medical institutions in Italy & refined over a decade of use.
- Comes with unique curved upright tube and handle bar.
- With USB, audio port, speaker & regular lubrication & replacement reminder.
- **With wireless charger.**
- Bluetooth app with speaker & connectivity with Kinomap.
- Sweat proof console design.
- Large sized twin cup holder.
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- Durable and reliable aluminum side rails.
- With durable Japanese bearing in rollers.
- Maximum user weight : 200kg.
- LXWXH : 226×97×167 CM.

ECO-TECH | AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | TFT | HRC

LEGACY
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 5 HP AC continuous (10 HP Peak) external roto motor, high heat dissipation performance.
- 23" x 61" running surface.
- Speed 0.8-22 kmph.
- Precise incline control from 0-18%.
- 23.8" LED+dot matrix display showing time, incline, speed, pace, calorie, distance, heart rate, step, METs, temperature etc.
- Medical grade silicon keys with direct speed (3/6/9/12) & incline (3/6//9/12) on the console.
- 44 programs : Fast Motion Mode(1), Manual Mode(1), Custom Mode(U1~U3), Distance Countdown Mode (1), Calorie Countdown Mode (1), Time Countdown Mode (1), P Mode(1~36) & fat measuring program.
- Proqrams developed by TOORX in collaboration with medical institutions in Italy & refned over a decade of use.
- With USB, audio port, speaker & regular lubrication & replacement reminder.
- Bluetooth app with Kinomap connectivity.
- Sweat proof console design.
- Large sized twin cup holder.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- Durable and reliable aluminum side rails.
- With durable Japanese bearing in rollers.
- Maximum user weight : 200 kg.
- LXWXH :206X90.5X155 CM.

GENESIS 9
COMMERCIAL TREADMILL







COMPATIBLE WITH kinomap

SPECIFICATIONS

- 7 window bright LED display.
- Durable AC motor driving system with over-current, short-circuit and comprehensive protection function
- 5.0 HP AC continuous (10.0 HP Peak) motor.
- 25" x 67" running surface.
- Speed : 1~25 kmph.
- Precise incline control from -3~18%.
- **Unique - 3% declinable deck.**
- Equipped with an automatic lubrication system.
- Direct speed & incline keys on the console.
- Built-in 24 motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- **With cordless mobile charger.**
- Bluetooth app with Kinomap connectivity
- Heavy duty reliable 2 ply commercial grade German Siegling running belt.
- Large sized twin cup holder with a built-in tray.
- Emergency stop button.
- Sweat proof console design.
- Maximum User Weight : 200 Kgs.
- LXWXH : 221X98X176 CM.

ECO-TECH | AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | DOT MATRIX | H2C

T3300
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 5.0 HP AC continuous (10.0 HP Peak) motor.
- 24" x 65" running surface.
- Speed 0.8~25 kmph.
- Precise incline control from -3~18%
- **Unique -3% declinable deck**
- 6 LED display with dot matrix showing time, speed, distance, incline, calories, heart rate, steps, pace & average speed .
- Direct speed & incline keys on the console.
- Various motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- Heavy duty reliable orthopaedic running belt.
- Large sized, twin cup holder with a built in tray to hold your mobile phone,
- With USB charging point.
- Bluetooth app with Kinomap connectivity
- High speed O^2 generator.
- Emergency stop button.
- Sweat proof console design.
- Maximum user weight: 180 kg.

ECO-TECH | AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | DOT MATRIX | HRC

T2525
COMMERCIAL TREADMILL



COMPATIBLE WITH kinomap

SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 4.5 HP AC continuous (9.0 HP Peak) motor.
- 23" x 67" running surface.
- Speed 1~22 kmph.
- Precise incline control from 0~15%
- 7 LED display with dot matrix showing time, speed, distance, incline, calories, heart rate, steps.
- Comes with Aluminum strip on side rail
- Direct speed & incline keys on the console.
- Various motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- Heavy duty reliable orthopaedic running belt.
- Large sized, twin cup holder with a built in tray to hold your mobile phone.
- With USB charging point.
- Bluetooth app with Kinomap connectivity
- Emergency stop button.
- Sweat proof console design.
- Maximum user weight: 180 kg.
- LXWXH : 228X104X162 CM.

ECO-TECH T-LINE SYSTEM | AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | DOT MATRIX | HF2C

Q9
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 5 HP AC continuous (10 HP Peak) external roto motor, high heat dissipation performance.
- 24" x 65" running surface.
- Speed 0.5-25kmph.
- Precise incline control from 0-20%.
- 7LED+dot matrix display showing time, incline, speed, pace, calorie, distance, heart rate, step, METs, temperature etc.
- Medical grade silicon keys with direct speed (3/6/9) & incline (4/8/12) on the console.
- 38 programs : HRC (4), custom (18), manual (1), target (3), fatburn (3), cardio (3), strength (5) & fat measuring program.
- Programs developed by TOORX in collaboration with medical institutions in Italy & refined over a decade of use.
- Comes with unique curved upright tube and handle bar.
- With USB, audio port, speaker & regular lubrication & replacement reminder.
- Bluetooth app with Kinomap connectivity
- Sweat proof console design.
- Large sized twin cup holder.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- Durable and reliable aluminum side rails.
- With durable Japanese bearing in rollers.
- Maximum user weight 200kg.
- LXWXH : 226×97×167 CM.

AC · HAND PULSE · USER PRO · OSD · POWER INCLINE · DOT MATRIX · HRC

Q7i
COMMERCIAL TREADMILL



SPECIFICATIONS

- **15.6" HD TFT Screen with different landscape programs.**
- **Supports Wi-Fi connection & web browsing.**
- AC driving system with adjustable variable frequency.
- 4.5 HP AC continuous (9.0 HP Peak) external roto motor, high heat dissipation performance.
- 24"x63" running surface.
- Speed 1-22kmph.
- Precise incline control from 0-15%.
- Inducing key-press, with direct speed (3/6/9) & incline (3/6/9) on the TFT screen.
- Various motivating programs for different workout requirements.
- With USB & audio interface.
- **With wireless charger.**
- Bluetooth app with speaker & connectivity with Kinomap
- Sweat proof console design.
- Large sized twin cup holder.
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- With durable Japanese bearing in rollers.
- Maximum user weight: 180kg.
- LXWXH : 210×93×161 CM.

T1212
COMMERCIAL TREADMILL







SPECIFICATIONS

- AC driving system provides higher torque of power for heavy loading.
- 5.0 HP AC continuous (10.0 HP Peak) motor.
- 24.5" x 64" running surface.
- Speed 1–25 kmph.
- Precise incline control from 0~20%.
- Clear & luxurious design, 6 window LED display showing time, speed, incline, calories, distance, program & heart rate.
- Sweat proof console design / two cup / bottle holders / handle bar.
- Various motivating programs for different workout requirements.
- With BT music / BT App (including Fitshow & Zwift & Kinomap) / Wireless charging.
- The full-wrap side rails make the machine sturdier and more robust.
- Comes with stainless steel pedal on side rail.
- Heavy duty 3.7mm commercial use running belt.
- 25mm high-density running board.
- Maximum User Weight: 180 kgs.
- LXWXH : 238X104X162 CM.

AC HAND PULSE USER PRO OSD POWER INCLINE DOT MATRIX HRC

Q8
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 5 HP AC continuous (10.0 HP Peak) external roto motor, high heat dissipation performance.
- 24" x 65" running surface.
- Speed 0.5-25kmph.
- Precise incline control from 0-20%.
- 6 LED+dot matrix display showing time, incline, speed, pace, calorie, distance, heart rate, step, METs & temperature. Medical grade silicon keys with direct speed (3/6/9) & incline (4/8/12) on the console.
- Various motivating programs for different workout requirements.
- With USB & audio interface, USB can be used for charging.
- Bluetooth app with Kinomap connectivity.
- Sweat proof console design.
- Large sized twin cup holder.
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- With durable Japanese bearing in rollers.
- Maximum user weight :180kg.
- LXWXH:226×97×167 CM.

Q5i
COMMERCIAL TREADMILL



COMPATIBLE WITH kinomap

SPECIFICATIONS

- **15.6" HD TFT Screen with different landscape programs.**
- **Supports Wi-Fi connection & web browsing.**
- AC driving system with adjustable variable frequency
- 4.0 HP AC continuous (8.0 HP Peak) external roto motor, high heat dissipation performance
- 23.6"x 63"(60*160cm) running surface
- Speed 1-22kmph
- Precise incline control from 0-15%
- Inducing key-press, with direct speed (3/6/9) & incline (3/6/9) on the TFT screen
- Various motivating programs for different workout requirements: quick start/ real scene mode (6) / target mode (3) / training mode (5) / HRC mode
- With USB & audio interface
- **With wireless charger**
- Bluetooth app with speaker & connectivity with Kinomap
- Sweat proof console design
- Large sized, twin cup holder to hold your mobile phone
- Emergency stop button
- Extra heavy duty running board supporting structure
- Heavy duty reliable orthopaedic running belt
- Maximum user weight : 180kg
- L X W X H : 210×93×161 cm

AC · HAND PULSE · USER PRO · OSD · POWER INCLINE · TFT · HRC

X10
COMMERCIAL TREADMILL



kinomap

SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 4.0 HP AC continuous (8.0 HP Peak) motor.
- 23" x 62" running surface.
- Speed 0.8~20 kmph.
- Precise incline control from 0~18%
- With cordless mobile charger.
- Bluetooth app with Kinomap connectivity.
- 5 LED display with dot matrix showing time, speed, distance, incline, calories, heart rate, steps, pace & average speed .
- Direct speed & incline keys on the console.
- Various motivating programs for different workout requirements.
- Extra heavy duty steel base with double cell neoprene rubber system for excellent suspension.
- 1" thick fibre board running deck.
- Heavy duty reliable orthopaedic running belt.
- Large sized, twin cup holder with a built in tray to hold your mobile phone.
- With USB charging point.
- High speed O^2 generator.
- Emergency stop button.
- Sweat proof console design.
- Maximum user weight: 160 kg.
- L X W X H : 209 X 88 X 163 CM

ECO-TECH

AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | DOT MATRIX | HRC

T3000
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system provides higher torgue of power for heavy loading
- 4.0 HP AC continuous (8.0 HP Peak) motor
- 23.5" x 61" running surface
- Speed 1~20 kmph
- Precise incline control from 0~20%
- Clear & luxurious design, 6 window LED display showing time, speed, incline, calories, distance, program & heart rate
- Various motivating programs for different workout requirements
- Double shock absorption that provides suitable push off to reduce the possibility of injury to knees and joints
- Comes with Aluminum strip on side rail
- Heavy duty 2.5mm reliable orthopedic running belt
- Sweat proof console design
- Two cup / bottle holders
- Maximum User Weight:180 kgs
- LXWXH : 190X96X165 CM.

AC · HAND PULSE · USER PRO · OSD · POWER INCLINE · DOT MATRIX · HRC

Q7
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 4.5 HP AC continuous (9.0 HP Peak) external roto motor, high heat dissipation performance.
- 24" x 63" running surface.
- Speed 1-22kmph.
- Precise incline control from 0-15%.
- 7 LED+dot matrix display showing time, incline, speed, pace, calorie, distance, heart rate, step, METs & temperature.
- Medical grade silicon keys with direct speed (3/6/9) & incline (4/8/12) on the console.
- Various motivating programs for different workout requirements.
- With USB & audio interface, USB can be used for charging.
- Bluetooth app with Kinomap connectivity
- Sweat proof console design.
- Large sized twin cup holder.
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- With durable Japanese bearing in rollers.
- Maximum user weight: 180kg.
- LXWXH: 210×93×161 CM.

Q3i
COMMERCIAL TREADMILL



SPECIFICATIONS

- **15.6" HD TFT Screen with different landscape programs.**
- **Supports Wi-Fi connection & web browsing.**
- AC driving system with adjustable variable frequency
- 3.0HP AC continuous (6.0HP Peak) external roto motor with high hear performance
- 22.44" x 59" running surface
- Speed: 1-20km/h
- Precise incline control from 0-15%
- Inducing key-press, with direct speed (3/6/9) & incline (3/6/9) on the TFT screen
- Various motivating programs for different workout requirements: quick start/ real scene mode (6) / target mode (3) / training mode (5) / HRC mode
- With USB & audio interface
- **With wireless charger**
- Bluetooth app with speaker & connectivity with Kinomap
- Sweat proof console design
- Large sized, twin cup holder to hold your mobile phone
- Emergency stop button
- Extra heavy duty running board supporting structure
- Durable Japanese bearing used in roller
- Max user weight: 150kg
- L x W x H : 197x93x145 cm

ECO-TECH

AC | HAND PULSE | USER PRO | OSD | POWER INCLINE | TFT | HRC

X8
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 4.0 HP AC continuous (8.0 HP Peak) motor.
- Speed : 1~20 kmph.
- Precise incline control from 0 ~15%.
- 21" x 58" running surface.
- Multi window display showing time, speed, distance, incline, calories & heart rate.
- Direct speed & incline keys on the console.
- Various motivating programs for different workout requirements.
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Heavy duty reliable orthopedic running belt.
- Emergency stop button.
- Sweat proof console design.
- Two Mobile/Bottle Holders.
- Maximum User Weight : 150 Kgs.
- LXWXH : 216X92X151 CM.

AC · HAND PULSE · USER PRO · OSD · POWER INCLINE · DOT MATRIX · HRC

Q5
COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frequency.
- 4.0 HP AC continuous (8.0 HP Peak) external roto motor with high heat performance.
- 23.6" x 63" running surface.
- Speed : 1-22 kmph.
- Precise incline control from 0-15%.
- 6 LED+dot matrix display showing time, incline, calorie, distance and heart rate.
- Medical grade silicon keys with direct speed (3/6/9) & incline (4/8/12) on the console.
- Various motivating programs for different workout requirements: HRC, custom, manual, hill, fat burn, target, cardio, strength, fit test etc.
- Bluetooth app with Kinomap connectivity
- Sweat proof console design.
- Large sized, twin cup holder with a built-in tray to hold your mobile phone / tablet.
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Heavy duty reliable orthopaedic running belt.
- Maximum user weight:180kg.
- LXWXH:210×93×161 CM.

ECO-TECH AC HAND PULSE USER PRO OSD POWER INCLINE DOT MATRIX HRC

Q3
LIGHT COMMERCIAL TREADMILL



SPECIFICATIONS

- AC driving system with adjustable variable frenquency.
- 3.0HP AC continuous (6.0HP Peak) external roto motor with high hear performance.
- 22.44" x 59" running surface.
- Speed:1-20km/h.
- Precise incline control from 0-15%.
- 5 LED+dot matrix display showing time, incline, speed, calorie, distance, heart rate and step.
- Medical grade silicon keys with direct speed (3/6/9) & I ncline(4/8/12) on the console.
- Various motivating programs for different workout requirements: 4HRC, 18 preset, 1 manual, 1 fit test.
- Sweat proof console design.
- Large sized, twin cup holder with a built in tray to hold your mobile phone & tablet PC.
- Bluetooth app with Kinomap connectivity
- Emergency stop button.
- Extra heavy duty running board supporting structure.
- Durable Japanese bearing used in roller.
- Max user weight : 150 kg.
- L X W X H : 197×93×145cm.

T6666
CURVEMILL



SPECIFICATIONS

- Innovative curved deck with durable rubber belt having aluminum base.
- Non motorized technology.
- Comes with detachable waist strap that allows variety of pull & push exercises
- Display showing : distance, time, speed, pulse, calories & body fat.
- Exercise description : run, power walk, lateral shuffle & low push.
- With 6 resistance levels.
- Highly durable treadmill with low maintenance cost.
- Ideal for core strength & interval training.
- Long hand rails for maximum safety.
- Maximum user weight 200 kg.
- LXWXH :202X96X151 CM.

MANUAL LCD

T6262
CURVEMILL



SPECIFICATIONS

- Innovative curved deck with durable nylon belt.
- Non motorized technology.
- Display showing : distance, time, speed, pulse, calories & body fat.
- Exercise description : run, power walk, lateral shuffle & low push.
- With 6 resistance levels.
- Highly durable treadmill with low maintenance cost.
- Ideal for core strength & interval training.
- Long hand rails for maximum safety.
- Maximum user weight 150 kg.
- LXWXH : 200X90X153 CM.

MANUAL LCD

T007
INCLINE TRAINER



SPECIFICATIONS

- Unique patented Decline to Incline running deck -0.5 ~ 40%.
- Ideal for special training of army, professional sports etc.
- AC driving system with adjustable variable frequency.
- 3.0 HP AC continuous (6.0 HP Peak) motor.
- Speed : 1~20 kmph.
- 21.5" x 61" running surface.
- 7" large window LED display showing time, speed, distance, incline, calories, heart rate etc.
- MP3 connectivity with speakers.
- Various motivating programs for different workout requirements.
- High speed O^2 generator.
- Heavy duty reliable orthopedic running belt.
- Emergency stop button.
- Sweat proof console design.
- Two Mobile/Bottle Holders.
- Maximum User Weight : 150 Kgs.
- LXWXH : 179X112X202 CM

T006
INCLINE TRAINER





SPECIFICATIONS

- Unique patented Decline to Incline running deck -6% to 42% (49 Levels).
- Ideal for special training, for ex army, professional sports etc.
- 4.0 HP Brushless motor.
- Speed : 1~22 kmph.
- 20" x 61" running surface.
- Green LED window plus white dot matrix display.
- Comes with 36 pre set program, 3 user & 1 manual.
- Instant speed & incline button on console
- With wireless charger.
- 8 pcs elastic cushion for maximum shock absorption.
- Sweat proof console design.
- Two Mobile/Bottle Holders.
- Maximum User Weight : 150 Kgs.

HAND PULSE · USER PRO · OSD · POWER INCLINE · LED BACKLIGHT · HRC

KH6050
FULL BODY TRAINER



CLIMBING STRIDE

ELLIPTICAL STRIDE



RUNNING STRIDE





SPECIFICATIONS

- New patented technology that offers user to choose between Climbing/Elliptical/Running/Bike stride
- LED dot matrix showing time, speed, distance, calories, RPM, pulse, watt & resistance
- Various motivating programs for different workout requirements
- Multi grip handle bar
- Variable stride length from 28" to 38" accommodating users of different heights
- Large pedals with toe caps for extra comfort
- Resistence Level : 0-16
- Reinforced frame for extra strength
- The large drink & accessories shelf is conveniently located with easy access while working out
- Maximum User Weight : 180 kgs
- LXWXH : 203X108X174 CM.

ECO-TECH HAND PULSE USER PRO DOT MATRIX HRC Self Generating

29

E1000

COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- Resistance : Magnetron resistance system.
- Power : Self-generation.
- Display : 4 window LED with easy to use control panel.
- Resistance level : 40 levels.
- Program : Constant Watt, Interval, Fat burn, Cardio etc.
- Flywheel : 14kg.
- Maximum User Weight : 180 kgs.
- LXWXH : 176X92X116 CM.

ECO-TECH | HAND PULSE | USER PRO | DOT MATRIX | HRC | Self Generating

30

KH3060
COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

DRIVE

- Rear-drive and handle arms enable sustain, smooth and engaging exercise, regardless your fitness level.
- Ergonomic multi position dual action handle bars.
- Large and impact-absorbing pedals (**with cushioned gel pads**) provide gentle movement to reduce lower back stress.
- Self- powered system, low maintenance design and space-saving deliver a fast return of investment.
- Power : Generator.
- Resistance level : 20

MONITOR

- Heart rate control programs provide user a challenging training.
- Multi readout summarizes workout result every minute, displays time used, distance covered, burned calories, watt and mets achieved.
- Reliable sweat-proof construction keeps console in demanding commercial environment.

SPECIAL FEATURES

- Offers various motivating programs for different workout requirements.
- Large LED's and intuitive keystroke permit easy-to-operation interface for change and monitor.
- Quick start key allows commencing exercise with a touch of button.
- Display function is switchable for feedback of Level, Watt, Mets and Pulse.
- Cup holder with towel handle.
- Maximum user weight : 180 kg.
- LXWXH : 218X74X161 CM.

ECO-TECH POWER SYSTEM · HAND PULSE · USER PRO · DOT MATRIX · HRC · Self Generating

31

E900i
COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- Display : 15.6" TFT touch screen.
- Supports Wi-Fi connection & web browsing.
- Resistance level : 32 levels.
- Program : Various motivating programs for different workout requirements.
- 14.2kg two ways flywheel with 20" stride length & 3 pcs crank arm.
- Comes with Blue tooth connectivity, Speakers & Mobile phone holder.
- Maximum User Weight : 160 kgs.
- LXWXH : 190X86X177 CM.

32

AIR GLIDE 700+

COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- LED dot matrix console readouts: INCLINE, TIME, DISTANCE, CALORIES, PULSE, SPEED / RPM, LEVEL, WATT, RECOVERY etc.
- Various motivating programs for different workout requirements.
- Level Control : 32 resistance levels.
- Inclination : 10-34°.
- 51cm unique stride length.
- 14 kgs flywheel.
- Both forward & reverse motions offer various workout options.
- Hand held pulse sensors enable to monitor the heart rate all times.
- Mp3 with speaker and USB charger.
- Unique durable floor levelers on front & rear stabilizer.
- With adaptor power system.
- Maximum user weight : 180 kg
- LXWXH : 215X75X170 CM.

ECO-TECH

HAND PULSE

USER PRO

DOT MATRIX

HRC

33

E700i
COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- Display : 15.6" TFT touch screen.
- Supports Wi-Fi connection & web browsing.
- Resistance level : 40 levels.
- Program : 12 Preset, Manual, Interval, Weight loss, Target heart rate, Random, Warm up & down.
- 10kg two ways flywheel with 22" stride length & 3 pcs crank arm.
- Comes with Earphone port, Speakers & Mobile phone holder.
- Maximum User Weight : 160 kgs.
- LXWXH : 165X53X80 CM.

34

E900
COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- Resistance : Magnetron resistance system.
- Display : 5 window LED dot matrix.
- Self power generating.
- Resistance level : 32 levels.
- Various motivating programs for different workout requirements.
- 14.2kg two ways flywheel with 20" stride length & 3 pcs crank arm.
- Comes with Mobile phone holder & Transport wheels.
- Maximum User Weight : 160 kgs.
- LXWXH : 190X85X176 CM.

35

E600
COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- LED dot matrix console readouts: INCLINE, TIME, DISTANCE, CALORIES, PULSE, SPEED / RPM, LEVEL, WATT, FAN etc.
- Various motivating programs for different workout requirements.
- Level Control : 20 resistance levels.
- With 15 level power incline.
- 500mm x 220mm unique stride length.
- 12 kgs flywheel.
- Both forward & reverse motions offer various workout options.
- Hand held pulse sensors enable to monitor the heart rate all times.
- Mp3 with speaker and USB charger.
- With O2 generator and bottle holder.
- Unique durable floor levelers on front & rear stabilizer.
- With adaptor power system.
- Maximum user weight : 150 kg
- LXWXH : 215X77X194 CM.

ECO-TECH | HAND PULSE | USER PRO | DOT MATRIX | HRC

36

E800

COMMERCIAL ELLIPTICAL TRAINER





SPECIFICATIONS

- Rear drive and dual handle arms enable smooth and engaging exercise, regardless of your fitness level.
- Self-powered system.
- LED screen.
- 8 Defaulted programs + 2 customized programs.
- Stride distance : 500mm.
- Resistance level : 26 levels.
- Max user weight : 150KGS.
- LXWXH : 209X78X168 cm.

ECO-TECH

HAND PULSE

USER PRO

DOT MATRIX

HRC

37

KH620

COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- 20" long stride.
- Red backlight LED display.
- Readouts: Time, speed, distance, calories, pulse, watt, program, bodyfat (height/weight/age) and level.
- Multiple programs including 1 Manual, 4 HRC, 1 Watt, 20 preset, 4 Users and 3 Fitness test.
- 3 pcs crank system with 14kgs flywheels.
- USB port with MP3 reader.
- Handheld pulse sensor.
- Magnetic flywheel.
- With self generating system.
- Resistance level - 24.
- Transport wheels.
- Adjustable floor levelers.

Maximum User Weight: 150kgs.

38

E200

COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- LED dot matrix console readouts: TIME, DISTANCE, CALORIES, PULSE, SPEED / RPM, LEVEL, WATT, FAN etc.
- Various motivating programs for different workout requirements.
- Level Control : 24 resistance levels.
- Dual Technology - resistance with both magnetic and air.
- 520mm x 240mm unique stride length.
- 8 kgs flywheel.
- Both forward & reverse motions offer various workout options.
- Hand held pulse sensors enable to monitor the heart rate all times.
- With ipad holder & bottle cage.
- Unique durable floor levelers on front & rear stabilizer.
- Transport wheels on the front stabilizer, providing easy movement to move the items.
- With adaptor power system.
- Maximum user weight : 150 kg.
- LXWXH : 162X65X180 CM.

39

KH640

COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- Display : 5 window LED dot matrix.
- Self power generating.
- Resistance level : 40 levels.
- Program : 12 Preset, Manual, Interval, Weight loss, Target heart rate, Random, Warm up & down.
- 14.2kg two ways flywheel with 19" stride length & 3 pcs crank arm.
- Comes with Mobile phone holder & Transport wheels.
- Maximum User Weight : 160 kgs.
- LXWXH : 200X81X166 CM.

ECO-TECH

HAND PULSE | USER PRO | DOT MATRIX | HRC | Self Generating

KH585
COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

Drive

- Rear Drive and handle arms enable sustain, smooth and engaging exercise, regardless your fitness level.
- Ergonomic multi position dual action handle bars.
- Large & Impact-absorbing pedals (with gel pads) provide gentle movement to reduce lower back stress.
- Self-powered system, low maintenance design & space-saving deliver a fast return of investment.
- Power : Generator.
- Resistance level : 16.

Monitor

- Heart rate control programs pro vide user a challenging training.
- Multi readout summarizes workout result every minute, displays time used, distance covered, burned calories, watt and meters achieved.

Special Features

- Offers various motivating programs for different workout requirements.
- Large LED's and intuitive keystroke permit easy to ope rate interface for change and monitor.
- Quick start key allows commencing exercise with a touch of a button.
- Display function is switchable for feedback of Level, Watt, Meters and Pulse.
- Cup holder with towel handle.
- Max User Weight :150Kgs.
- LxWxH : 210x64x180 cm.

KH610
LIGHT COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- 20" long stride.
- 3 section manual incline.
- Blue backlight LCD display.
- Readouts: Time, speed, distance, calories, pulse, watt, program, bodyfat (height/weight/age) and level.
- Multiple programs including 1 Manual, 4 HRC, 1 Watt,
- 11 preset, 4 Users and 3 Fitness test.
- Handheld pulse sensor.
- Magnetic flywheel.
- With adapter power system.
- Resistance level - 24.
- Transport wheels.
- Adjustable floor levelers.
- Maximum User Weight: 130kgs.
- LXWXH : 176X68X179 CM

KH965
LIGHT COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- 20" long stride length with 2 levels of adjustment.
- Adjustable swing bar.
- Display readouts : Time, Distance, RPM, Speed, Calories, Pulse, Body Ratio, BMI, BMR and Temperature.
- Various motivating programs for different workout requirements.
- Handheld pulse sensor.
- 10kgs flywheel.
- 15 level Magnetic resistence system.
- Transport wheels.
- Adjustable floor levelers.
- Maximum User Weight : 135 Kgs.

KH960
LIGHT COMMERCIAL ELLIPTICAL TRAINER



SPECIFICATIONS

- 20" long stride length with 2 levels of adjustment.
- Adjustable swing bar.
- Display readouts : Time, Distance, RPM, Speed, Calories, Pulse, Body ratio, BMI, BMR and Temprature.
- Handheld pulse sensor.
- 10 kgs fly wheel.
- Magnetic 8 level manual tension control system.
- Transport wheels.
- Adjustable floor levelers.
- Maximum User Weight : 130 Kgs.

42

R900i
COMMERCIAL RECUMBENT BIKE



SPECIFICATIONS

- Display : 15.6" TFT touch screen.
- Supports Wi-Fi connection & web browsing.
- Resistance level : 32 levels.
- Program : Various motivating programs for different workout requirements.
- Ergonomic multi grip handles with heart rate & resistance control keys.
- Weighted pedals provide gentle movement to reduce lower back stress.
- Cushioned seats with horizontal adjustment.
- Comes with Blue tooth connectivity, Speakers & Mobile phone holder.
- Maximum User Weight : 160 kgs.
- LXWXH : 166X66X132 CM.

43

KH3040
COMMERCIAL RECUMBENT BIKE



SPECIFICATIONS

DRIVE
- Two stage drive with poly V-belt.
- Resistance System : Self powered hybrid brake.
- Resistance Level : 20 Levels.

MONITOR
- 7 window dot matrix LED display.
- Display readouts : Time, Distance, RPM, Speed, Level, Calories, Pulse and Watts.
- Various motivating programs for different workout requirements.

SPECIAL FEATURES
- The easy-to-operate adjustment bar to move the seat forward and backward.
- Walk-through design to get on / off easily.
  Accessory tray with cup holder.
- Seat handle bars with quick access resistance (+/-) keys and handheld pulse sensors.
- Adjustable pedal straps
- Aluminum upright beam
- Hidden 3 piece cranks inside crank cover for safety
- Transport wheels
- Adjustable floor levelers
- Built-in receiver
- Maximum User Weight : 180 kgs
- LXWXH : 165X64X138 CM.

44

R900
COMMERCIAL RECUMBENT BIKE



SPECIFICATIONS

- 5 window LED display with dot matrix showing time, speed, distance, calories, pace, heart rate etc.
- Offers various motivating programs for different workout requirements.
- Ergonomic multi grip handles with heart rate & resistance control keys.
- Weighted pedals provide gentle movement to reduce lower back stress.
- Power: Self Generator.
- Cushioned seats with horizontal adjustment.
- Low maintenance and space-saving design.
- Resistance level : 32
- Large sized cup holder.
- Maximum user weight: 160 kg.
- LXWXH : 166X66X132 CM.

ECO-TECH

HAND PULSE | USER PRO | DOT MATRIX | HRC | Self Generating

45

KH619
COMMERCIAL RECUMBENT BIKE

SPECIFICATIONS

Drive
- One stage drive with poly V-belt.
- Resistance System : Self powered generator brake.
- Resistance Level : 32 Levels.

Monitor
- LED(red light).
- Display readouts : speed,time,distance,calorie,heart rate,level,wat.
- 20 programs : 1 manual, 11 presetting , 4 HRC , 3 fittest, 1 wat.

Special Features
- The easy-to-operate adjustment to move the seat forward and backward.
- Walk-through design to get on / off easily.
- Seat handle bars with handheld pulse sensors.
- Adjustable pedal straps.
- 3 piece crank.
- Built-in speakers & Bluetooth Music.
- With IP support bracket.
- Transport wheels.
- Adjustable floor levelers.
- Maximum User Weight: 180 kgs.



KH575
COMMERCIAL RECUMBENT BIKE

SPECIFICATIONS

Drive
- Two stage drive with poly V-belt.
- Resistance System : Self powered hybrid brake
- Resistance Level : 16.

Monitor
- 7 window dot matrix LED display
- Display readouts : Time, Distance, Speed, Level, Calories, Pulse and Watts
- Various motivating programs for different workout requirements

Special Features
- The easy-to-operate adjustment bar to move the seat forward and backward
- Walk-through design to get on / off easily
- Adjustable resistance levels
- Aluminum upright beam
- Hidden 3 piece cranks inside crank cover for safety
- Transport wheels
- With easy moving wheels
- Built-in receiver
- Maximum User Weight : 150kgs
- LxWxH : 183x68x90 cms



U900i
COMMERCIAL UPRIGHT BIKE



SPECIFICATIONS

- Display : 15.6" TFT touch screen.
- Supports Wi-Fi connection & web browsing.
- Resistance level : 32 levels.
- Program : Various motivating programs for different workout requirements.
- Ergonomic multi grip handles with heart rate & resistance control keys.
- Weighted pedals provide gentle movement to reduce lower back stress.
- Cushioned seat with vertical adjustment.
- Comes with Blue tooth connectivity, Speakers & Mobile phone holder.
- Maximum User Weight : 160 kgs.
- LXWXH : 135X58X144 CM.

47

KH3020
COMMERCIAL UPRIGHT BIKE



SPECIFICATIONS

DRIVE
- Two stage drive with poly V-belt.
- Resistance System : Self powered hybrid brake.
- Resistance Level : 20 Levels.

MONITOR
- 7 window dot matrix LED display.
- Display readouts : Time, Distance, RPM, Speed, Level, Calories, Pulse and Watts.
- Various motivating programs for different workout requirements.

SPECIAL FEATURES
- Various seat height level adjustments.
- Accessory tray with cup holder.
- Adjustable pedal straps.
- Aluminum upright beam.
- Hidden 3 piece cranks inside crank cover for safety.
- Transport wheels.
- Adjustable floor levelers.
- Built-in receiver.
- Maximum User Weight : 180 kgs.
- LXWXH : 109X60X149 CM.

48

U900
COMMERCIAL UPRIGHT BIKE



SPECIFICATIONS

- 5 window LED display with dot matrix showing time, speed, distance, calories, pace, heart rate etc.
- Offers various motivating programs for different workout requirements.
- Ergonomic multi grip handles with heart rate & resistance control keys.
- Weighted pedals provide gentle movement to reduce lower back stress.
- Power: Self Generator.
- Cushioned seat with vertical adjustment.
- Low maintenance and space-saving design.
- Resistance level : 32
- Large sized cup holder.
- Maximum user weight: 160 kg.
- LXWXH : 135X58X144 CM.

ECO-TECH FITNESS | HAND PULSE | USER PRO | DOT MATRIX | HRC | Self Generating

49

KH618
COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

Drive
- One stage drive with poly V-belt
- Resistance System : Self powered generator brake.
- Resistance Level : 32 Levels

Monitor
- LED(red light)
- Display readouts : speed,time,distance,calorie,heart rate,level,wat.
- 20 programs : 1 manual , 11 presetting, 4 HRC , 3 fittest,1 wat.

Special Features
- Various seat height levels easily adjustable by knob ball
- Ergonomic stationary handle bars
- Handheld pulse sensor
- Adjustable pedal straps
- 3 piece cranks
- Transport wheels
- Built-in speakers & Bluetooth Music
- With IP support bracket
- Adjustable floor levelers
- Maximum User Weight: 180 kgs



KH840
COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

- Control System: PMS intelligent electric resistance
- Heart Rate: hand-held heart rate
- Screen Display: 5-window high-brightness white light LED display
- Sports Program: built-in program 30P mode, HRC mode x 3 & WATT mode
- Resistance adjustment: 32 levels
- With 4 way seat adjustment
- Flywheel weight: 9KG two-way magnetic control wheel
- Transmission method: belt
- Motion trajectory: fixed elliptical motion trajectory
- With USB charging function, Bluetooth music input function.
- Maximum User Weight : 150kgs
- LxWxH : 115x65x152 cms



KH565
COMMERCIAL UPRIGHT BIKE

SPECIFICATIONS

Drive

- Two stage drive with poly V-belt.
- Resistance System : Self powered
- Resistance Level : 16.

Monitor

- 7 window dot matrix LED display
- Display readouts : Time, Distance, Speed, Level, Calories, Pulse and Watts
- Various motivating programs for different workout requirements

Special Features

- The easy-to-operate seat for up and down position
- Walk-through design to get on / off easily
- Accessory tray with cup holder
- Adjustable resistance levels
- Aluminum upright beam
- Hidden 3 piece cranks inside crank cover for safety
- Transport wheels
- With easy moving wheels
- Built-in receiver
- Maximum User Weight: 150 kgs
- LxWxH : 111x56x148 cms



51

AB1000
COMMERCIAL AIR BIKE



Maximum User Weight	150kg
Resistance	Air Resistance
Drive Model	Belt Drive
Pedals & handle bars	Synchronized Motion
Pedals	Double Faced Aluminum Alloy
Footholds	Aluminum
Crank	Oversize
Console Display	5" LCD Screen
Console Readouts	Time, Speed/Average Speed, Calories/Average Calories, Distance, RPM/Average RPM, Watt/Average Watt

Programs	3 target programs (Time, Distance, Calories), 3 Heart Rate Programs (65%, 75%,85%), 4 Interval Programs (3 time interval and 1 distance interval)
Heart Rate Monitor	Telemetry (Compatible with Polar heart rate belt H9 or H10 which can be bought separately)
Cup Holder	Yes
Fan Size	26 inches
Fan Blades	26 ABS Curved blades
Product Dimension	130 x 71 x 134 CM



This Bike **enables users to do upper body training, lower body training and total body training. It helps to improve your body coordination and meets training demands of various people.**

52

AB700
COMMERCIAL AIR BIKE

SPECIFICATIONS

- Belt transmission system with fan flywheel.
- Various motivating programs for different workout requirements.
- 3 pcs Crank system.
- Comes with horizontal and vertical saddle post adjustment.
- Transport wheels + Aluminum pedals.
- Big LCD screen with backlit.
- Quick buttons for interval program.
- Maximum user weight: 160 kg.
- LXWXH : 129x59x122 cms



AB400
COMMERCIAL AIR BIKE

SPECIFICATIONS

- System : Fan drive
- 1 manual + 12 built-in programs
- Built-in wireless receiver
- Transport wheels + Aluminium pedals
- Big LCD screen with backlit
- Quick buttons for interval program
- Maximum user weight: 150 kg.
- LXWXH : 129x59x122 cms



53

KH160
COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Frame made from durable flat oval tube 50x120 mm
- Belt transmission system with 20 kg rear flywheel
- Magnetic resistence system with adjustment lever
- Dip moulded PVC rust proof handle bar
- Aluminium alloy seat post with 4 way adjustment
- Maximum user weight: 160 kg.
- LXWXH : 166X70X144 CM.




KH159
COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Computer shows SCAN, TIME, DISTANCE, CALORIES, SPEED & RPM.
- Bluetooth connectivity for Kinomap & Zwift.
- Frame made from durable fat oval tube 50x100 mm.
- Belt transmission system with 20 kg flywheel.
- Friction resistance system.
- Dip moulded PVC rust proof handle bar.
- Aluminum alloy seat post with 4 way adjustment.
- With commercial use crank and pedals.
- Maximum user weight: 150 kg.
- LXWXH : 133 x 53 x 125 cm.

COMPATIBLE WITH kinomap



54

KH156
COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Comes with large computer display
- Adjustable resistance
- Racing handle bar
- With 20kgs flywheel
- 3 piece aluminum crank with SPD pedals
- Computer functions : time, speed, distance, calories & pulse
- Maximum User Weight : 150 Kgs
- LXWXH : 124X51X120 cm



KH154
COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Comes with large computer display.
- Ultra sturdy structure.
- Fully adjustable GEL seat with sweat proof finish.
- 4 way adjustable handle bar.
- Belt transmission system with 20 kg flywheel.
- Side break system.
- SPD racing pedals.
- Transport wheels for easy movement.
- Maximum user weight: 150 kg.
- LXWXH : 119X53X105 CM.



55

KH153
COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Adjustable resistance.
- Dipping handle bar.
- With 20kgs flywheel.
- With adjustable seat.
- Computer functions : time, speed, distance, calories & pulse.
- Maximum User Weight 140 Kgs.
- LXWXH : 115X50X123 CM.



KH142
COMMERCIAL GROUP BIKE

SPECIFICATIONS

- Ultra sturdy with heavy duty crank.
- Fully adjustable Gel seat with sweat proof finish.
- With 18 kg flywheel.
- Adjustable handle bar with up & down position.
- High quality ribbed belt with tension wheel driving system.
- Press type braking system.
- Rust proof aluminum seat and handle tube.
- Maximum user weight : 150 kg.
- LXWXH : 107X58X112 CM.



56

AR1000
COMMERCIAL AIR ROWER



Drive Model	Chain
Maximum User Weight	150kg
Resistance Design	Air Resistance
Console Display	5" LCD display with 8 readout windows
Console Readouts	Time, Stroke Rate, Pace, Distance, Watts, Calories,Heart Rate, Level
Programs	Multiple
HR Monitor	Telemetry (Compatible with Polar heart rate belt H9 or H10 which can be bought separately)
Product Dimension	224 × 36 × 106 CM

57

AR800

COMMERCIAL AIR ROWER



SPECIFICATIONS

- Unique fan plus magnetic wheel system.
- Durable chain drive with 1-way bearing.
- Air+magnetic dual resistance.
- Aluminum rowing rail with stainless top surface.
- Dual adjustable console.
- Comfortable & smooth rowing seat.
- Ultra adjustable pedal.
- Max. User weight: 160 kgs.
- Lxwxh : 224x35x150 cm.

58

AR600
COMMERCIAL AIR ROWER

SPECIFICATIONS

- Unique fan plus magnetic wheel system.
- Durable chain drive with 1-way bearing.
- Air+magnetic dual resistance.
- Aluminum rowing rail with stainless top surface.
- Dual adjustable console.
- KINOMAP compatible through bluetooth.
- Comfortable & smooth rowing seat.
- Ultra adjustable pedal.
- Max. User weight: 160 kgs.
- LXWXH : 224x35x150 cm.



AR500
COMMERCIAL AIR ROWER

SPECIFICATIONS


- Solid steel frame that folds up for easy storage.
- Air generated 10 levels resistance.
- High strength steel chain rowing strap for a smooth and quiet pull.
- Back-lit bright LCD monitor that displays all workout data.
- Compatible with FITLOG, KINOMAP and ZWIFT.
- High quality contoured seat.
- Adjustable footrest with numbered setting
- Max. user weight: 160 Kgs.
- LXWXH : 241X62X111 CM.



SR1000

COMMERCIAL SKI / AIR ROWER

Maximum User Weight	150kg
Drive Model	Belt
Handlebar Design	Rowing Bar & Skiing Bar
Flywheel Weight	4.1kg
Special Features	Provided Rowing & Skiing Training
Resistance Design	MARS (Magnetic & Air Resistance System)
Resistance Power	300W
Resistance Levels	20
Console Display	5" LCD display with 8 readout windows
Console Readouts	Time, Stroke Rate, Pace, Distance, Watts, Calories,Heart Rate, Level
Programs	5(Time/Distance/Calorie Target, Interval Time/Distance)
HR Monitor	Telemetry (Compatible with Polar heart rate belt H9 or H10 which can be bought separately)
Product Dimension	Horizontal Form: 262 x 88 x 106 CM Vertical Form: 136 x 88 x 214 CM
Seat Height	513mm/ 20.2"
Monorail	1663mm/ 65.5" (Aluminum)





Skiing bar made of TPR materials allows for acomfortable grab feeling.



A folded Ski & Row **saves 48% floor** space comparing with rowerform.

The transport wheels make iteasy to place to a workout space.



A folding lock-upsystem ensures safety in daily using condition.



Adjustable angles of console provides users with the best viewing experience



MARS (Magnetic & Air Resistance System) allows users to control their exertion and resistance at all times. The MARS system comes with 20 settingsso you can change the resistance to suit your performance.

High intensity cords achieve the maximum strength test up to 1,000,000 times ensuring the high quality of product.

Ergonomic seat enables users to train comfortably. Light-weight aluminum and stainlesssteel made sliderail allows users to train intensively and provide alow maintenance.

Adjustable pedals and ergonomic handle bars accommodate different user's need. The sturdy legs provide users a comfortable and stable movement.



The SKIERDW can be used instanding form, which provides upper body training and core training.Optional footstraps help users to train lower body and complete theworkout shown below:



SKI600
SKI MACHINE

SPECIFICATIONS

- Durable and ergonomic construction.
- Can be either moulted on a wall or with specially designed anti-skid floor stand.
- Air + Magnetic 10 levels resistance.
- Resistance adjustment given in the handles.
- High strength light weight drive cord with strapless handles for secure grip.
- Back-lit bright LCD monitor that displays all workout data.
- KINOMAP compatible through bluetooth.
- Max. user weight: 160 Kgs.
- LXWXH : 128X62X216 CM.



SKI 500
SKI MACHINE

SPECIFICATIONS

- **Durable and ergonomic construction.**
- **Can be either moulted on a wall or with specially designed anti-skid floor stand.**
- **Air generated 10 levels resistance.**
- **High strength light weight drive cord with strapless handles for secure grip.**
- **Back-lit bright LCD monitor that displays all workout data.**
- **Compatible with FITLOG, KINOMAP and ZWIFT.**
- **Max. user weight: 160 Kgs.**
- **LXWXH : 128X62X216 CM.**



61

RC500
ROPE TRAINER



SPECIFICATIONS

- Ideal for quick upper body cardio workout
- Comes with magnetic tension control system
- Rope height adjustment helps between sitting or standing workout
- Back-lit bright lcd monitor that display all workout data

INFINITY
TRAINER

SPECIFICATIONS

- Unique machine with variety of exercises possible.
- Heavy duty stainless steel base.
- Dimensions : 220x135x162 cms
- Weight : 160 kgs



TYRE FLIP
180

SPECIFICATIONS

- Starting resistance of 100 lbs.
- Plate loaded ability up to 40 additional pounds.
- 4 sounds reducing bumpers .
- 2 battle rope anchor points.
- 4 floor levelers.
- 8 floor mounting points.
- Weight of the tyre : 49 kgs.
- Weight of the machine : 145 kgs.
- LXWXH : 164X124X60 CM.



KH5050
STEPMILL





SPECIFICATIONS

- Magnetic EMS system.
- Console : 6 window LED dot-matrix display.
- Speed & Start / Stop button on handle bar.
- Data readout : Speed level, calories, time, distance, steps etc.
- Program : P1-36 + FAT + User / Countdown / Manual - Floor mode & Cool down.
- 3 - Emergency stop switch including infrared sensor.
- Step size : 21" wide step, 11" deep & 8" height
- Comes with wireless charger.
- With water bottle holder.
- Max user weight : 180 kgs.
- LXWXH : 167X87X131 CM.

KH4040
STEPMILL



SPECIFICATIONS

- Magnetic EMS system.
- Console : LED dot-matrix display.
- Speed & Start / Stop button on handle bar.
- Data readout : Speed level, calories, time, distance, steps etc.
- Program : Various motivating programs for different workout requirements.
- With water bottle holder.
- Max user weight : 160 kgs.
- LXWXH : 145X82X208 CM.

KH3030
STEPMILL






Big comfortable paddles

SPECIFICATIONS

- Magnetic EMS system.
- Console : LED dot-matrix display
- Data readout : Speed level, calories, time, distance, steps etc.
- Program : Various motivating programs for different workout requirements.
- With water bottle holder.
- Max user weight : 150 kgs.
- LXWXH : 145X82X208 CM.

GYM FAN





PRODUCT HIGHLIGHTS

1. **Stepless Speed Adjustment**
2. **Highly Mobile with four wheel movement and foot locks**
3. **Durable Frame Structure**

PRODUCT SPECIFICATIONS

Dimension : 2140*690*2030mm
Power : 1.1kw
Controller : Variable speed control
Weight : 150kg
Airflow : 24 meters length


VIVA®
FITNESS
#PushYourself

SIGNATURE SERIES UNIQUE FEATURES

Integrated weight stack tower that offers both safety environmental protection

304 stainless steel rotating shaft which is strong, durable and beautiful



PU moulded foam cushions - Environmentally friendly, comfortable and durable


High quality φ 4.8mm cable - smooth operation, high strength and long life

Select pin is made of 6063 aluminum for smooth, durable and noiseless movement. Surface oxidation red treatment

Stainless steel adjusting plate

PC2101
MULTI PRESS


- LXWXH : 198X135X166 CM.
- Weight stack : 150 LBS.





PC2102
LAT PULL / SEATED ROW


- LXWXH : 188X121X225 CM.
- Weight stack : 190 LBS.





PC2103
PEC FLY / REAR DELT


- LXWXH : 137X150X195 CM.
- Weight stack : 220 LBS.





PC2104
DIP / CHIN ASSIST


- LXWXH : 116X154X220 CM.
- Weight stack : 170 LBS.





PC2105
LEG EXTENSION / LEG CURL


- LXWXH : 161X133X158 CM.
- Weight stack : 220 LBS.





PC2106
HIP ABDUCTOR / ADDUCTOR

- LXWXH : 167X73X158 CM.
- Weight stack : 150 LBS.





PC2107
BICEP CURL / TRICEPS EXTENSION


- LXWXH : 124X131X158 CM.
- Weight stack : 220 LBS.





PC2108
LEG PRESS / CALF EXTENSION


- LXWXH : 194X114X158 CM.
- Weight stack : 290 LBS.





PC2109
ABDOMINAL / BACK EXTENSION


- LXWXH : 131X121X158 CM.
- Weight stack : 200 LBS.





PC2110
DEEP SQUAT / STANDING CALF EXTENSION


- LXWXH : 130X115X158 CM.
- Weight stack : 220 LBS.





PC2111
ROTARY HIP

- LXWXH : 148X93X158 CM.
- Weight stack : 150 LBS.





PC2122
LAT PULLDOWN


- LXWXH : 167X143X202 CM.
- Weight stack : 300 LBS.





PC2201
CHEST PRESS

- LXWXH : 97X152X182 CM.
- Weight stack : 240 LBS.





PC2202
SEATED ROW

- LXWXH : 159X108X150 CM.
- Weight stack : 230 LBS.





PC2203
SHOULDER PRESS


- LXWXH : 171X146X150 CM.
- Weight stack : 240 LBS.





PC2204
TORSO ROTATION


- LXWXH : 86X126X150CM.
- Weight stack : 120 LBS.





PC2205
LEG EXTENSION


- LXWXH : 127X121X150 CM.
- Weight stack : 230 LBS.





PC2206
SEATED LEG CURL


- LXWXH : 143X121X150 CM.
- Weight stack : 230 LBS.





PC2211
SEATED LEG PRESS

- LXWXH : 186X114X150 CM.
- Weight stack : 330 LBS.





PC2212
DELTOID TRAINER


- LXWXH : 150X88X157 CM.
- Weight stack : 120 LBS.





PC2215
HIP TRAINER


- LXWXH : 163X113X150 CM.
- Weight stack : 150 LBS.





PC2218
PRONE LEG CURL


- LXWXH : 173X124X150 CM.
- Weight stack : 230 LBS.





PC2222
LATERAL RAISE

- LXWXH : 94X119X150 CM.
- Weight stack : 150 LBS.





PC2230
CABLE CROSSOVER

- LXWXH : 414X76X236 CM.
- Weight stack : 220 LBS X 2.



PC2235
FUNCTIONAL TRAINER

- LXWXH : 166X123X242 CM.
- Weight stack : 220 LBS X 2.



PC2240
SMITH MACHINE

- Counter Balanced.
- Comes with Aluminum pulley.
- LXWXH : 140X209X250 CM.



PC2245
DUAL ARM FUNCTIONAL TRAINER

- Counter Balanced.
- Weight stack : 220 LBS X 2.
- WIDTH : 89 CM & HEIGHT 200 CM




PC2250
ADJUSTABLE SMITH MACHINE

- LXWXH : 160X124X170 CM
- COMES IN 5 ADJUSTABLE ANGLE



PC1013
BICEP CURL


- LXWXH : 148X108X119 CM.
- MAX WEIGHT CAPACITY : 150KG / 330 LBS.





PC1015
HIP THRUST


- LXWXH : 162X124X81 CM.
- MAX WEIGHT CAPACITY : 200KG / 440 LBS.





PC1018
POWER SQUAT


- LXWXH : 199X129X140 CM.
- MAX WEIGHT CAPACITY : 400KG / 880 LBS





PC1021
PENDULUM SQUAT


- LXWXH : 213X162X96 CM.
- MAX WEIGHT CAPACITY : 200KG / 440 LBS





PC1022
DEEP BELT SQUAT

- LXWXH : 172X175X143 CM.
- MAX WEIGHT CAPACITY : 350KG / 770 LBS.
- COMES WITH BELT ATTACHMENT.





PC3013
LEG EXTENSION / PRONE LEG CURL


- UNIQUE LOAD DROP MECHANISM, ALLOWS FOR UP TO 30% WEIGHT REDUCTION.
- LXWXH : 141X134X103 CM.
- MAX WEIGHT CAPACITY : 150KG / 330 LBS





PC3008
ISO LATERAL LEG PRESS


- UNIQUE LOAD DROP MECHANISM, ALLOWS FOR UP TO 30% WEIGHT REDUCTION
- LXWXH : 217X186X154 CM.
- MAX WEIGHT CAPACITY : 500KG / 1100 LBS





PC3016
HIP ABDUCTOR


- LXWXH : 152X93X145 CM.
- MAX WEIGHT CAPACITY : 150KG / 330 LBS





PC1116
45 DEGREE LEG PRESS

- LXWXH : 214X161X140 CM.
- MAX WEIGHT CAPACITY : 600KG / 1300 LBS






VIVA FITNESS
#PushYourself

LEGACY SERIES UNIQUE FEATURES

- Long lasting upholstery - **15**mm thick plywood backing followed by 4**5**mm thick foam core covered by industrial vinyl

- Aircraft spec 5mm American LOOS cable with 4,200 lb breaking strength. All fittings tested for 250,000 cycles using full weight stack.

- **Two pcs of 2.5 kgs micro weight stack**



- 3mm thick, **65**mm by 1**14**mm racetrack tubing, electro-welded for maximum strength.
- Electrostatic powder coated and heat cured paint finish for maximum durability.

- Easy-to-use seat with minimal adjustments and pre-stretched features optimal exercise positions.

- Compact - space efficient design requires minimal floor space.
- Rubber grip prevent from being slipped

IP1001
CHEST PRESS

- LXWXH : 142X107X149 CM.
- Weight stack : 175 LBS.



IP1003
ARM CURL

- LXWXH : 130X119X149 CM.
- Weight stack : 175 LBS.



IP1005
LEG EXTENSION

- LXWXH : 147X112X148 CM.
- Weight stack : 220 LBS.



IP1006
LEG CURL

- LXWXH : 149X112X148 CM.
- Weight stack : 175 LBS.



IP1008
ABDUCTOR / ADDUCTOR

- LXWXH : 166X78X149 CM.
- Weight stack : 220 LBS.
- Comes without micro weight adjustment.



IP1010
LEG PRESS

- LXWXH : 210X108X149 CM.
- Weight stack : 220 LBS.



IP1012
SHOULDER PRESS

- LXWXH : 170X147X149 CM.
- Weight stack : 175 LBS.



IP1014
ABDOMINAL

- LXWXH : 142X107X149 CM.
- Weight stack : 175 LBS.



IP1015
PEC FLY / REAR DELT

- LXWXH : 190X132X203 CM.
- Weight stack : 220 LBS.
- Comes without micro weight adjustment.



IP1017
TRICEP PRESS

- LXWXH : 130X115X149 CM.
- Weight stack : 180 LBS.



IP1019
SEATED ROW

- LXWXH : 133X112X149 CM.
- Weight stack : 220 LBS.



IP1020
DIP CHIN / ASSIST

- LXWXH : 164X148X223 CM.
- Weight stack : 220 LBS.
- Comes without micro weight adjustment.



IP1021
PRONE LEG CURL

- LXWXH : 165X104X148 CM
- Weight stack : 220 LBS.



IP1022
LAT PULL / SEATED ROW

- LXWXH : 170X130X160 CM.
- Weight stack : 220 LBS.
- Comes without micro weight adjustment.



IP1024
LATERAL RAISE

- LXWXH : 125X120X149 CM.
- Weight stack : 175 LBS.



IP1025
CABLE CROSS OVER

- LXWXH : 435X80X221 CM.
- Weight stack : 220 LBS X 2.



IP1027
5 STATION JUNGLE GYM

- LXWXH : 566X376X242 CM.
- Weight stack : 220 LBS X 5.



IP1028
LEG CURL/ EXTENSION

- LXWXH : 149X112X148 CM.
- Weight stack : 220 LBS.



IP1029
MULTI PRESS

- LXWXH : 170X126X130 CM.
- Weight stack : 220 LBS.



IP1030
DUAL ADJUSTABLE PULLEY

- LXWXH : 158X120X244 CM.
- Weight stack : 220 LBS X 2.



IP1033
BICEP / TRICEP

- LXWXH : 130X119X149
- Weight stack : 175 LBS.



IP1034
BACK EXTENSION / ABDOMINAL

- LXWXH : 140X112X149
- Weight stack : 175 LBS.



IP1501
COUNTER BALANCED SMITH MACHINE

- LXWXH : 125X221X237 CM.



IP1502
STANDING ARM CURL

- LXWXH : 84X120X117 CM.



IP1503
ABDOMINAL CRUNCH BENCH

- LXWXH : 169X89X98 CM.



IP1507
HYPER EXTENSION BENCH

- LXWXH : 127X68X97 CM.



IP1509
FLAT BENCH

- LXWXH : 126X168X42 CM.



IP1510
CHIN DIP / LEG RAISE

- LXWXH : 130X173X240 CM.



IP1511
MULTI ADJUSTABLE BENCH

- LXWXH : 135X82X45 CM.



IP1513
ADJUSTABLE AB BENCH

- LXWXH : 168X68X82 CM.



IP1514
OLYMPIC FLAT BENCH

- LXWXH : 183X168X125 CM.



IP1515
OLYMPIC INCLINE BENCH

- LXWXH : 209X200X144 CM.



IP1516
OLYMPIC DECLINE BENCH

- LXWXH : 217X170X143 CM.



IP1519
PREACHER CURL BENCH

- LXWXH : 102X80X88 CM.



IP1522
UTILITY BENCH

- LXWXH : 91X68X110 CM.



IT SERIES UNIQUE FEATURES

- Long lasting upholstery - 20mm thick plywood backing followed by 40mm thick foam core covered by industrial vinyl



- Aircraft spec 5mm American LOOS cable with 4,200 lb breaking strength. All fittings tested for 250,000 cycles using full weight stack.
- Easy-to-use seat with minimal adjustments and pre-stretched features optimal exercise positions.
- 3mm thick, 50mm by 100 mm racetrack tubing, electro-welded for maximum strength.
- Electrostatic powder coated and heat cured paint finish for maximum durability.
- Compact - space efficient design requires minimal floor space.
- Rubber grip prevent from being slipped.

IT9501
CHEST PRESS

- LXWXH : 148X120X150 CM
- Weight Stack : 200 lbs



IT9502
LAT PULLDOWN

- LXWXH : 143X138X188 CM
- Weight Stack : 295 lbs



IT9503
ARM CURL

- LXWXH : 130X121X150 CM
- Weight Stack : 160 lbs



IT9504
PECTORAL

- LXWXH : 150X146X150 CM
- Weight Stack : 200 lbs



IT9505
LEG EXTENSION

- LXWXH : 154X119X150 CM
- Weight Stack : 200 lbs



IT9506
SEATED LEG CURL

- LXWXH : 147X120X150 CM
- Weight Stack : 200 lbs



IT9508
ABDUCTOR / ADDUCTOR

- LXWXH : 155X90X150 CM
- Weight Stack : 160 lbs



IT9509
TOTAL HIP

- LXWXH : 130X98X150 CM
- Weight Stack : 200 lbs



IT9510
LEG PRESS

- LXWXH : 180X120X150 CM
- Weight Stack : 295 lbs



IT9512
SHOULDER PRESS

- LXWXH : 156X144X151 CM
- Weight Stack : 200 lbs



IT9514
ABDOMINAL

- LXWXH : 135X115X158 CM
- Weight Stack : 200 lbs



IT9515
PEC FLY / REAR DELT

- LXWXH : 166X129X200 CM
- Weight Stack : 200 lbs



IT9516
STANDING CALF

- LXWXH : 135X115X158 CM
- Weight Stack : 235 lbs



IT9517
TRICEP PRESS

- LXWXH : 179.4X126X150 CM
- Weight Stack : 200 lbs



IT9518
ROTARY TORSO

- LXWXH : 122X120X150 CM
- Weight Stack : 160 lbs



IT9519
VERTICAL ROW

- LXWXH : 144X114X150 CM
- Weight Stack : 200 lbs



IT9520
DIP / CHIN ASSIST

- LXWXH : 122X136X220 CM
- Weight Stack : 200 lbs



IT9521
PRONE LEG CURL

- LXWXH : 147X120X150 CM
- Weight Stack : 200 lbs



IT9522
LAT PULL / SEATED ROW

- LXWXH : 135X115X158 CM
- Weight Stack : 295 lbs



IT9524
LATERAL RAISE

- LXWXH : 122X121X150 CM
- Weight Stack : 200 lbs



IT9526
GLUTE

- LXWXH : 150X124X150 CM
- Weight Stack : 200 lbs



IT9528
LEG EXTENSION / LEG CURL

- LXWXH : 135X122X150 CM
- Weight Stack : 235 lbs



IT9529
MULTI PRESS

- LXWXH : 182X143X166 CM
- Weight Stack : 235 lbs



IT9533
BICEP CURL / TRICEP EXTENSION

- LXWXH : 130X124X150 CM
- Weight Stack : 200 lbs



IT9534
BACK EXTENSION / ABDOMINAL

- LXWXH : 119X118X150 CM
- Weight Stack : 200 lbs



IT9537
STANDING MULTI FLIGHT MACHINE

- LXWXH : 145X90X186 CM
- Weight Stack : 200 lbs



IT7001
COUNTER BALANCED SMITH MACHINE

- LXWXH : 138X225X229 CM.



IT7002
SEATED PREACHER CURL

- LXWXH : 101X81X88 CM.



IT7003
AB BENCH

- LXWXH : 175X94X100 CM.



IT7005
SEATED CALF RAISE

- LXWXH : 135X75X83 CM.



IT7006

45° LEG PRESS / HACK SQUAT



- LXWXH : 225X98X146 CM.

IT7009

FLAT BENCH

- LXWXH : 115X90X42 CM.



IT7010

VERTICAL KNEE RAISE / DIP STAND

- LXWXH : 112X78X155 CM.



IT7011
MULTI ADJUSTABLE BENCH

- LXWXH : 121X75X46 CM.



IT7012
12 PAIRS DUMBBELL RACK

- LXWXH : 159X81X98 CM.



IT7013
MULTI AB BENCH

- LXWXH : 173X72X89 CM.



IT7014
OLYMPIC FLAT BENCH

- LXWXH : 170X166X137 CM.



IT7015
OLYMPIC INCLINE BENCH

- LXWXH : 163X165X137 CM.



IT7016
OLYMPIC DECLINE BENCH

- LXWXH : 210X166X137 CM.



IT7017
OLYMPIC WEIGHT TREE

- LXWXH : 96X63X120 CM.



IT7022
UTILITY BENCH



MILANO SERIES UNIQUE FEATURES

- Unique & Easy to use height adjustment for different usage requirements.
- Aircraft spec 5mm American LOOS cable with 4,200 lb breaking strength. All fittings tested for 250,000 cycles using full weight stack.



- Long lasting upholstery - **15**mm thick plywood backing followed by 4**5**mm thick foam core covered by industrial vinyl
- 3mm thick, **65**mm by 1**14**mm racetrack tubing, electro-welded for maximum strength.
- Electrostatic powder coated and heat cured paint finish for maximum durability.
- Compact - space efficient design requires minimal floor space.
- Rubber grip prevent from being slipped

MS 008

PRONE LEG CURL / EXTENSION

- LXWXH : 142X106X150 CM.
- Weight stack : 220 LBS.



MS 009

MULTI PRESS

- LXWXH : 139X159X150 CM.
- Weight stack : 220 LBS.



MS 010

LAT PULLDOWN / SEATED ROW

- LXWXH : 68X192X213CM.
- Weight stack : 220 LBS.



MS 011
PEC FLY / REAR DELT

- LXWXH : 128X142X197 CM.
- Weight stack : 220 LBS.



MS 012
BICEPS / TRICEPS

- LXWXH : 121X116X150 CM.
- Weight stack : 175 LBS.



MS 015
LEG PRESS / HACK SQUAT

- LXWXH : 193X109X150 CM.
- Weight stack : 265 LBS.



MS 016
ABDUCTOR / ADDUCTOR

- LXWXH : 72X164X150 CM.
- Weight stack : 220 LBS.



MS 017
DIP / CHIN ASSIST

- LXWXH : 122X138X234 CM.
- Weight stack : 220 LBS.



MS 019
MULTI FLIGHT

- LXWXH : 99X142X190 CM.
- Weight stack : 220 LBS.



MS 110
SMITH SQUAT COMBO

- LXWXH : 224X180X213 CM.
- Weight stack : 220 LBS.



MS 130
FUNCTIONAL TRAINER

- LXWXH : 207X122X230 CM.
- Weight stack : 220 LBS x 2.



MS 140
CABLE CROSSOVER

- LXWXH : 360X146X239 CM.
- Weight stack : 220 LBS x 2.



FORCE PRO SERIES UNIQUE FEATURES

- Integrated 2.5 kg increment weight on each machine.
- Supports warm-up sets, controlled training and different strength levels.

- FORCE PRO Series delivers the independent, plate loaded training feel, combined with instant efficiency of selectorized stacks giving 100% precision without compromise.
- Each arm moves independently to enable true split motion training, engineered for mechanical balance and millimetre level accuracy

- KEVLAR STEEL REINFORCED BELT DRIVE
- Embedded steel cords ensure high tensile strength and durability.
- Smooth, quiet transmission creates a more responsive training feel.



- Long lasting upholstery - **15**mm thick plywood backing followed by **45**mm thick foam core covered by industrial vinyl

- 3mm thick, **65**mm by 1**14**mm racetrack tubing, electro-welded for maximum strength.
- Electrostatic powder coated and heat cured paint finish for maximum durability.

- Compact - space efficient design requires minimal floor space.
- Rubber grip prevent from being slipped

VF 6001
PRONE LEG CURL

- LXWXH : 167X109X133 CM.
- Weight stack : 210 LBS.



VF 6002
LEG EXTENSION

- LXWXH : 125X113X144 CM.
- Weight stack : 305 LBS.



VF 6003
SEATED LEG PRESS

- LXWXH : 200X108X154 CM.
- Weight stack : 305 LBS.



VF 6005
LATERAL RAISE

- LXWXH : 109X93X133 CM.
- Weight stack : 210 LBS.



VF 6006
SHOULDER PRESS

- LXWXH : 151X146X154 CM.
- Weight stack : 210 LBS.



VF 6007
PECTORAL FLY/REAR DELTOID

- LXWXH : 125X143X205 CM.
- Weight stack : 305 LBS.



VF 6008
CHEST PRESS

- LXWXH : 148X108X154 CM.
- Weight stack : 305 LBS.



VF 6009
ASSISTED DIP CHIN

- LXWXH : 128X112X221 CM.
- Weight stack : 180 LBS.



VF 6012
LAT PULLDOWN

- LXWXH : 139X123X226 CM.
- Weight stack : 305 LBS.



VF 6023
SEATED LEG CURL

- LXWXH : 151X125X144 CM.
- Weight stack : 305 LBS.



VF 6030
BICEPS CURL

- LXWXH : 115X107X133 CM.
- Weight stack : 210 LBS.



VF 6034
SEATED ROW

- LXWXH : 134X83X196 CM.
- Weight stack : 305 LBS.



VF 6084
MULTI PRESS

- LXWXH : 174X145X172 CM.
- Weight stack : 305 LBS.



VF 6085
LAT PULLDOWN / SEATED ROW

- LXWXH : 210X123X227 CM.
- Weight stack : 305 LBS.



VF 6086
LEG EXTENSION / LEG CURL

- LXWXH : 140X86X140 CM.
- Weight stack : 305 LBS.



VF 6087
BICEPS CURL / TRICEPS EXTENSION

- LXWXH : 111X107X133 CM.
- Weight stack : 210 LBS.



VF 6089
ABDUCTOR / ADDUCTOR

- LXWXH : 170X62X154 CM.
- Weight stack : 305 LBS.



VF 6090
LEG EXTENSION / PRONE LEG CURL

- LXWXH : 172X104X162 CM.
- Weight stack : 242 LBS.



VF 7037
SPLIT-MOVE BICEPS CURL

- LXWXH : 97X148X150CM.
- Weight stack : 110 LBS X 2.



VF 7038
SPLIT-MOVE CHEST PRESS

- LXWXH : 102X173X196 CM.
- Weight stack : 165 LBS X 2.



VF 7039
SPLIT-MOVE ROW

- LXWXH : 130X158X209 CM.
- Weight stack : 165 LBS X 2.



VF 7041
SPLIT-MOVE SHOULDER PRESS

- LXWXH : 115X158X138 CM.
- Weight stack : 165 LBS X 2.



VF 7045
SPLIT-MOVE HIGH ROW

- LXWXH : 120X183X196CM.
- Weight stack : 165 LBS X 2.



VF 8002
SPLIT-MOVE CHEST / BACK

- LXWXH : 198X137X229CM.



VF 8003
SPLIT-MOVE DECLINE CHEST PRESS

- LXWXH : 130X138X173 CM.



VF 8004
SPLIT-MOVE D.Y. ROW

- LXWXH : 130X143X209 CM.



VF 8006
SPLIT-MOVE HIGH ROW

- LXWXH : 163X145X201 CM.



VF 8009
SPLIT-MOVE LOW ROW

- LXWXH : 122X120X171 CM.



VF 8011
SPLIT-MOVE ROW

- LXWXH : 155X127X132 CM.



VF 8012
SPLIT-MOVE SHOULDER PRESS

- LXWXH : 132X152X185 CM.



VF 8013
SPLIT-MOVE SUPER INCLINE PRESS

- LXWXH : 130X155X140 CM.



VF 8014
SPLIT-MOVE WIDE CHEST

- LXWXH : 195X140X189 CM.



VF 8015
SPLIT-MOVE WIDE PULLDOWN

- LXWXH : 123X180X201 CM.



VF 8016
LATERAL RAISE

- LXWXH : 143X106X125 CM.



VF 8017
PULLOVER

- LXWXH : 138X130X150 CM.



VF 8018
SEATED DIP

- LXWXH : 168X124X109 CM.



VF 8019
SUPER FLY

- LXWXH : 209X219X105 CM.



VF 8023
HACK SQUAT

- LXWXH : 215X156X150 CM.



VF 8027
GLUTE DRIVE

- LXWXH : 170X148X102 CM.



VF 8030
PENDULUM-X SQUAT

- LXWXH : 248X143X199 CM.



VF 8033
SEATED BICEP

- LXWXH : 112X117X140 CM.



VF 8034
LINEAR LEG PRESS

- LXWXH : 240X168X148 CM.



VF 8035
ABDOMINAL OBLIQUE CRUNCH

- LXWXH : 120X148X168 CM.



VF 8036
BELT SQUAT

- LXWXH : 116X200X151 CM.



BS SERIES UNIQUE FEATURES

- Long lasting upholstery - 20mm thick plywood backing followed by 40mm thick foam core covered by industrial vinyl

- Non absorbing PVC compound retained with aluminum collars



- Black painted steel weight plates with self aligning low friction sleeves
- Magnetic color coded pin with coiled lanyard
- 6mm coated steel cable for smooth and secure performance
- Glass fiber reinforced nylon pulleys with deep V-groove that provides secured cable positioning and fluid bearing rotation

- 60mm x 120mm Heavy guage flat oval steel tubing
- Electrostatic powder coated and heat cured paint finish for maximum durability

- Compact - space efficient design requires minimal floor space
- Rubber grip prevent from being slipped

BS009
MULTI PRESS

- LXWXH : 197X153X153 CM.
- Weight stack : 220 LBS.



BS011
PEC FLY/REAR DELT

- LXWXH : 179X114X202 CM.
- Weight stack : 220 LBS.



BS013
ABDOMINAL/BACK EXTENSION

- LXWXH : 132X138X153 CM.
- Weight stack : 220 LBS.



BS015
LEG PRESS/CALF RAISE

- LXWXH : 187X118X153 CM.
- Weight stack : 220 LBS.



BS016
HIP ABDUCTION/ADDUCTION

- LXWXH : 157X94X153 CM.
- Weight stack : 220 LBS.



BS110
SMITH SQUAT COMBO

- LXWXH : 224X180X213 CM



BS140
CABLE CROSSOVER

- LXWXH : 360X146X239 CM
- WEIGHT STACK : 220 LBS X 2



KG BLACK SERIES UNIQUE FEATURES

- Main frame: Flat Oval tube (50120*2.5T)
- Press arm: Round tube (60/50*3.0T) Flat oval tube (40*80*3.0T)
- Connecting assembly: Flat oval tube (50*120*2.5T)

- The cushion is made of PU and it's hardness is designed according to the principles of ergonomics and controlled to be around HBS-65±5, which assures that it's suitable for almost all users.
- The upholstery leather does not peel off or fade after getting rubbed 8000 times with a 500g weight.



WITH COUNTER



- Water bottle holder

- Front shroud is made of ABS & back shroud is made of Cold rolled steel plate

- 5 level seat adjustment system

- High tampered alloy steel guide rod.
- Heavy duty steel cable with 1000 kg load capacity & tested for 100,000 rounds of endurance.
- Steel weight stacks.

KG6501
CHEST PRESS

- LXWXH : 145X111X168 CM
- WEIGHT STACK : 220 LBS



KG6502
LAT PULL DOWN

- LXWXH : 183X151X203 CM
- WEIGHT STACK : 220 LBS



KG6503
BICEP CURL

- LXWXH : 130X97X168 CM
- WEIGHT STACK : 155 LBS



KG6504
ADJUSTABLE LAT PULL DOWN

- LXWXH : 183X151X203 CM
- WEIGHT STACK : 220 LBS



KG6505
LEG EXTENSION

- LXWXH : 136X108X168 CM
- WEIGHT STACK : 175 LBS



KG6508
ABDUCTOR/ADDUCTOR

- LXWXH : 163X88X168 CM
- WEIGHT STACK : 175 LBS



KG6510
LEG PRESS

- LXWXH : 195X110X168 CM
- WEIGHT STACK : 265 LBS



KG6512
SHOULDER PRESS

- LXWXH : 164X148X168 CM
- WEIGHT STACK : 175 LBS



KG6515
PECFLY/REARDELT

- LXWXH : 152X112X205 CM
- WEIGHT STACK : 220 LBS



KG6517
TRICEP PRESS

- LXWXH : 137X99X168 CM
- WEIGHT STACK : 220 LBS



KG6519
SEATED ROW

- LXWXH : 144X88X168 CM
- WEIGHT STACK : 220 LBS



KG6520
ASSISTED CHIN/DIP

- LXWXH : 145X132X237 CM
- WEIGHT STACK : 175 LBS



KG6521
PRONE LEG CURL

- LXWXH : 170X103X168 CM
- WEIGHT STACK : 175 LBS



KG6522
LAT PULL/SEATED ROW

- LXWXH : 190X152X210 CM
- WEIGHT STACK : 220 LBS



KG6528
LEG EXTENSION/CURL

- LXWXH : 140X120X166 CM
- WEIGHT STACK : 220 LBS



KG6529
MULTI PRESS

- LXWXH : 195X146X166 CM
- WEIGHT STACK : 175 LBS



KG6533
BICEPS/TRICEPS

- LXWXH : 125X125X166 CM
- WEIGHT STACK : 175 LBS



KG6535
SEATED HORIZONTAL PULLEY

- LXWXH : 179X107X168 CM
- WEIGHT STACK : 220 LBS



KG6536
STANDING MULTI FLIGHT

- LXWXH : 148X80X228 CM
- WEIGHT STACK : 220 lbs



KG6546
FUNCTIONAL TRAINER

- LXWXH : 163X108X225 CM
- WEIGHT STACK : 220 LBS X 2



KG6545
CABLE CROSSOVER

- LXWXH : 370X89X225 CM
- WEIGHT STACK : 220 LBS X 2



KG6555
OLYMPIC FLAT BENCH

- LXWXH : 183X127X120 CM



KG6556
OLYMPIC DECLINE BENCH

- LXWXH : 202X127X120 CM



KG6557
OLYMPIC INCLINE BENCH

- LXWXH : 207X126X135 CM



KG6558
BACK EXTENSION BENCH

- LXWXH : 123X66X78 CM



KG6559
AB BENCH

- LXWXH : 185X72X110 CM



KG6560
T ARM MACHINE

- LXWXH : 189X85X81 CM



KG6561
STRETCH MACHINE

- LXWXH : 157X52X94 CM



KG6562
FLAT BENCH

- LXWXH : 150X73X45 CM



KG6563
MULTI ADJUSTABLE BENCH

- LXWXH : 136X56X107 CM



KG6564
UTILITY BENCH

- LXWXH : 103X52X105 CM



KG6565
BARBELL RACK

- LXWXH : 103X88X142 CM



KG6566
PREACHER CURL BENCH

- LXWXH : 97X74X97 CM



KG6567
SQUAT RACK

- LXWXH :167X136X234 CM



KG6568
VERTICAL KNEE RAISE WITH CHIN DIP

- LXWXH : 130X119X235 CM




KG6569
SEATED CALF

- LXWXH : 138X60X94 CM




VIVA FITNESS
PushYourself

SELECT LINE UNIQUE FEATURES



BR01
CHEST PRESS

- LXWXH: 150X110X163 CM
- WEIGHT STACK : 220 LBS



BR02
SHOULDER PRESS

- LXWXH: 136X143X163 CM
- WEIGHT STACK : 220 LBS



BR04
PEC FLY / REAR DELT

- LXWXH: 126X148X198 CM
- WEIGHT STACK : 220 LBS



BR05
BICEP CURL

- LXWXH: 114X110X140 CM
- WEIGHT STACK : 220 LBS



BR07
LATERAL RAISE

- LXWXH: 110X100X163 CM
- WEIGHT STACK : 190 LBS



BR08
LAT PULLDOWN

- LXWXH: 148X87X226 CM
- WEIGHT STACK : 220 LBS



BR13
LEG EXTENSION

- LXWXH: 129X105X163 CM
- WEIGHT STACK : 220 LBS



BR14
SEATED LEG CURL

- LXWXH: 127X103X163 CM
- WEIGHT STACK : 220 LBS



BR15
PRONE LEG CURL

- LXWXH: 150X95X140 CM
- WEIGHT STACK : 220 LBS



BR24
DIP / CHIN ASSIST

- LXWXH: 120X110X220 CM
- WEIGHT STACK : 220 LBS



BR25
SEATED LEG CURL / LEG EXTENSION

- LXWXH: 140X86X140 CM
- WEIGHT STACK : 220 LBS



BR26
TRICEP / BICEP

- LXWXH: 121X105X140 CM
- WEIGHT STACK : 190 LBS



BR27
ABDUCTOR / ADDUCTOR

- LXWXH: 150X70X140 CM
- WEIGHT STACK : 175 LBS



BR28
PRONE LEG CURL / LEG EXTENSION

- LXWXH: 154X105X163 CM
- WEIGHT STACK : 220 LBS



BR29
MULTI PRESS

- LXWXH: 188X140X163 CM
- WEIGHT STACK : 220 LBS



BR30
LAT PULL / SEATED ROW

- LXWXH: 215X85X226 CM
- WEIGHT STACK : 220 LBS



BR33
BACK EXTENSION / ABDOMINAL

- LXWXH: 116X104X140 CM
- WEIGHT STACK : 190 LBS



BR35
ROWING MACHINE

- LXWXH: 128X86X191 CM
- WEIGHT STACK : 220 LBS



BR36
FUNCTIONAL TRAINER

- LXWXH: 105X195X230 CM
- WEIGHT STACK : 220 LBS X 2




BR37
SMITH MACHINE

- LXWXH: 142X221X236 CM
- COUNTER BALANCED



CONQUER LINE UNIQUE FEATURES



PS2001
PRONE LEG CURL

- LXWXH: 165X96X153 CM
- WEIGHT STACK : 210 LBS



PS2002
LEG EXTENSION

- LXWXH: 156X103X153 CM
- WEIGHT STACK : 240 LBS



PS2003
LEG PRESS

- LXWXH: 209X106X153 CM
- WEIGHT STACK : 240 LBS



PS2006
SHOULDER PRESS

- LXWXH: 175X135X153 CM
- WEIGHT STACK : 240 LBS



PS2007
PEC FLY / REAR DELT

- LXWXH: 186X131X202 CM
- WEIGHT STACK : 240 LBS



PS2008
CHEST PRESS

- LXWXH: 148X105X181 CM
- WEIGHT STACK : 240 LBS



PS2009
DIP / CHIN ASSIST

- LXWXH: 139X122X235 CM
- WEIGHT STACK : 195 LBS



PS2021
ABDUCTOR / ADDUCTOR

- LXWXH: 161X75X153 CM
- WEIGHT STACK : 200 LBS



PS2033
LONG PULL

- LXWXH: 180X133X187 CM
- WEIGHT STACK : 240 LBS



PS2034
VERTICAL ROW

- LXWXH: 149X129X151 CM
- WEIGHT STACK : 210 LBS



PS2084
MULTI PRESS

- LXWXH: 181X146X153 CM
- WEIGHT STACK : 240 LBS



PS2085
LAT PULL / SEATED ROW

- LXWXH: 197X114X224 CM
- WEIGHT STACK : 240 LBS



PS2086
SEATED LEG CURL / EXTENSION

- LXWXH: 145X102X153 CM
- WEIGHT STACK : 240 LBS



PS2087
BICEP / TRICEP

- LXWXH: 133X106X153 CM
- WEIGHT STACK : 240 LBS



BH SERIES UNIQUE FEATURES

✧ Main frame: Flat Oval Tube (50 120*2.5T)
✧ Press arm: Round tube (60/50*3.0T)
Flat Oval Tube (40*80*3.0T)
✧ Connecting assembly: Flat Oval Tube (50*120*2.5T)

✧ Material : Hollow stainless steel. Surface polishing, refined through several processes to ensure low noise, super wear-resistant, non-deformation, good smoothness, brighter and more durable. It does not get rust after 24h of salt atmosphere test.

✧ The cushion is made of PU and it's hardness is designed according to the principles of ergonomics and controlled to be around HBS-65±5, which assures that it's suitable for almost all users.
✧ The upholstery leather does not peel off or fade after getting rubbed 8000 times with a 500g weight



✧PVC sticker, backed with 3M high viscosity adhesive, moisture resistant and corrosion resistant.

✧ Max load : 1000kg
It has passed a 100,000 round endurance test.

✧ High-Quality domestic bearing

✧ Material: PVC
Process: one forming technology

✧ All steel (20# alloy steel) accurate weight.

BH3501
CHEST PRESS

- LXWXH: 123X140X164 CM
- WEIGHT STACK : 220 LBS



BH3502
LAT PULLDOWN

- LXWXH: 144X128X222 CM
- WEIGHT STACK : 220 LBS



BH3503
ARM CURL

- LXWXH: 133X102X164 CM
- WEIGHT STACK : 175 LBS



BH3505
LEG EXTENSION

- LXWXH: 151X104X164 CM
- WEIGHT STACK : 220 LBS



BH3506
SEATED LEG CURL

- LXWXH: 170X108X164 CM
- WEIGHT STACK : 175 LBS



BH3508
ABDUCTOR / ADDUCTOR

- LXWXH: 80X167X164 CM
- WEIGHT STACK : 175 LBS



BH3510
LEG PRESS

- LXWXH: 223X108X164 CM
- WEIGHT STACK : 265 LBS



BH3512
SHOULDER PRESS

- LXWXH: 140X166X164 CM
- WEIGHT STACK : 175 LBS



BH3515
PEC FLY / REAR DELT

- LXWXH: 140X113X201 CM
- WEIGHT STACK : 175 LBS



BH3517
TRICEP PRESS

- LXWXH: 94X101X164 CM
- WEIGHT STACK : 220 LBS



BH3519
VERTICAL ROW

- LXWXH: 159X121X164 CM
- WEIGHT STACK : 220 LBS



BH3520
DIP / CHIN ASSIST

- LXWXH: 113X116X242 CM
- WEIGHT STACK : 220 LBS



BH3521
PRONE LEG CURL

- LXWXH: 154X102X164 CM
- WEIGHT STACK : 175 LBS



BH3522
LAT PULL / SEATED ROW

- LXWXH:155X149X221 CM
- WEIGHT STACK : 220 LBS



BH3524
LATERAL RAISE

- LXWXH: 116X129X164 CM
- WEIGHT STACK : 175 LBS



BH3528
LEG EXTENSION / LEG CURL

- LXWXH: 155X112X164 CM
- WEIGHT STACK : 175 LBS



BH3529
MULTI PRESS

- LXWXH: 157X142X164 CM
- WEIGHT STACK : 175 LBS



BH3533
BICEP / TRICEP

- LXWXH: 144X104X164 CM
- WEIGHT STACK : 175 LBS



BH3535
SEATED HORIZONTAL PULLEY

- LXWXH: 156X89X164 CM
- WEIGHT STACK : 220 LBS



BH3555
45° LEG PRESS

- LXWXH: 237X161X147 CM



BH3559
SUPER SQUAT

- LXWXH: 223X150X170 CM



BH3560
45° LEG PRESS / HACK SQUAT

- LXWXH: 226X158X157 CM



BH3570
FTSM

- Functional Trainer with Smith Machine
- LXWXH: 246X118X226 CM
- WEIGHT STACK : 175 LBS X 2





BH3575
FUNCTIONAL TRAINER

- LXWXH : 162x117x235 CM.
- Weight Stack:220 LBS x 2.

BH3580
CHEST PRESS

- LXWXH: 179X136X101 CM



BH3581
ROW

- LXWXH: 175X129X109 CM



BH3582
INCLINE CHEST PRESS

- LXWXH: 198X114X113 CM



BH3583
FID WARRIOR BENCH

- Comes with adjustable flat, incline & decline positions
- Both front & back seats can be adjusted
- Easy to read marking on chrome plate
- Comfortable PU moulded embroidered seats
- Heavy duty frame structure with maximum user weight of 130 kg





BH3585
FUNCTIONAL TRAINER

- LXWXH: 160X117X235 CM
- Weight Stack : 220 Lbs X 2


VIVA FITNESS
#PushYourself

E SERIES UNIQUE FEATURES



E5001
PRONE LEG CURL

- LXWXH: 152X99X135 CM
- WEIGHT STACK : 210 LBS



E5002
LEG EXTENSION

- LXWXH: 130X99X135 CM
- WEIGHT STACK : 240 LBS



E5003
SEATED LEG PRESS

- LXWXH: 190X110X162 CM
- WEIGHT STACK : 255 LBS



E5005
LATERAL RAISE

- LXWXH: 91X115X150 CM.
- WEIGHT STACK : 120 LBS



E5006
SHOULDER PRESS

- LXWXH: 185X122X132 CM
- WEIGHT STACK : 240 LBS



E5007
PEC FLY / REAR DELT

- LXWXH: 124X99X211 CM
- WEIGHT STACK : 240 LBS



E5008
CHEST PRESS

- LXWXH: 132X130X135 CM
- WEIGHT STACK : 240 LBS



E5009
DIP CHIN

- LXWXH: 155X137X236 CM
- WEIGHT STACK : 200 LBS



E5013
INCLINE CHEST PRESS

- LXWXH: 185X122X132 CM
- WEIGHT STACK : 240 LBS



E5023
SEATED LEG CURL

- LXWXH: 165X94X135 CM
- WEIGHT STACK : 240 LBS



E5030
BICEP CURL

- LXWXH: 119X89X135 CM
- WEIGHT STACK : 140 LBS



E5033
LONG PULL

- LXWXH: 282X109X236 CM
- WEIGHT STACK : 310 LBS



E5034
VERTICAL ROW

- LXWXH: 155X132X160 CM
- WEIGHT STACK : 210 LBS



E5035
LAT PULL DOWN

- LXWXH: 185X109X234 CM
- WEIGHT STACK : 240 LBS



E3046
STANDING MULTI FLIGHT

- LXWXH: 142X89X200 CM
- WEIGHT STACK : 175 LBS



E5084
MULTI PRESS

- LXWXH: 200X135X162 CM
- WEIGHT STACK : 240 LBS



E5086
LEG CURL / LEG EXTENSION

- LXWXH: 140X120X162 CM
- WEIGHT STACK : 240 LBS



E5087
BICEP / TRICEP

- LXWXH: 140X120X162 CM
- WEIGHT STACK : 140 LBS



E5088
ABDOMINAL / BACK EXTENSION

- LXWXH: 131X99X162 CM
- WEIGHT STACK : 240 LBS



E5089
ABDUCTOR / ADDUCTOR

- LXWXH: 155X90X162 CM
- WEIGHT STACK : 210 LBS



E3016
CABLE CROSSOVER

- LXWXH: 447X109X231 CM
- WEIGHT STACK : 220 LBS X 2



E1017
FUNCTIONAL TRAINER

- LXWXH: 105X176X225 CM
- WEIGHT STACK : 220 LBS X 2



E5200
ADJUSTABLE HI/LO PULLEY

- LXWXH : 99X124X227 CM
- WEIGHT STACK : 220 LBS



E5202
4 STATION JUNGLE GYM

- Multiple exercise function - Lat Pulldown, Mid row Pec fly / Rear delt & Hi-Lo Pulley
- LXWXH : 350X228X227 CM
- WEIGHT STACK : 220 LBS X 4



E5203
CABLE CROSSOVER

- E5200+E5200
- WEIGHT STACK : 220 LBS X 2



E5204
5 STATION JUNGLE GYM

- E5200+E5202
- WEIGHT STACK : 220 LBS X 5



E5205

4 STATION JUNGLE GYM


- Multiple exercise function - Leg extension / Curl, Leg press Multi press & Hi-Lo Pulley.
- LXWXH : 350X260X227 CM
- WEIGHT STACK : 220 LBS X 3 & 240 LBS x 1



E5206

5 STATION JUNGLE GYM

- E5200+E5205
- WEIGHT STACK : 220 LBS X 4 & 240 LBS x 1



E5207

8 STATION JUNGLE GYM

- E5202+E5205
- LXWXH : 760X350X227 CM
- WEIGHT STACK : 220 LBS X 7 & 240 LBS X 1



E1080
AB COASTER

- LXWXH : 185X72X145 cm
- Maximum user weight : 150 kg.



E1082
AB COASTER

- LXWXH : 164x78x146 CM.
- Maximum user weight : 180 kg.



E3036
FLAT BENCH

- LXWXH: 141X68X42 CM



E3037
ADJUSTABLE AB BENCH

- LXWXH: 164X68X99 CM



E3038
MULTI PURPOSE BENCH

- LXWXH: 106X68X90 CM



E3039
ADJUSTABLE BENCH

- LXWXH: 138X68X69 CM



E3041
OLYMPIC DECLINE BENCH

- LXWXH: 209X170X122 CM



E3042
OLYMPIC INCLINE BENCH

- LXWXH: 196X170X140 CM



E3043
OLYMPIC FLAT BENCH

- LXWXH: 174X170X122 CM



E3044
SEATED PREACHER CURL

- LXWXH: 113X84X88 CM



E3045
HYPER EXTENSION

- LXWXH: 121X89X67 CM



E3047
DIP / VERTICAL KNEE RAISE

- LXWXH: 127X71X160 CM



E3050
SQUAT RACK

- LXWXH: 173X170X178 CM



E3055
PLATE LOADED LEG PRESS

- LXWXH: 217X161X126 CM



E3056
PLATE LOADED LEG PRESS

- LXWXH: 221X63X135 CM



E3057
PLATE LOADED HACK SQUAT

- LXWXH: 224X163X126 CM



E3058
INCLINE LINEAR ROW

- **LXWXH: 171X91X121 CM**



E3059
MULTI LATERAL TRAINER

- LXWH: 165X93X158 CM



E3061
T BAR

- **LXWXH : 185x79x119 CM**



E3062
SEATED CALF

- **LXWXH: 150X71X99 CM**



E3063
SMITH MACHINE

- LXWXH: 142X221X236 CM
- COUNTER BALANCED



E3065
SUPER SQUAT

- LXWXH: 185X79X119 CM



E 3066
ABDOMINAL TRAINER

- LXWXH: 129X61X154



E3092
BOOTY MACHINE

- LXWXH: 201X163X147 CM.



E3093
GLUTE BUILDER

- LXWXH: 140X191X353 CM



E6234
REVERSE HYPER EXTENSION

- LXWXH: 155X140X123 CM



E6254
HALF RACK WITH WOODEN PLATFORM

- LXWXH: 139X152X235 CM
- Thickness of wooden platform is 30mm and rubber pad under wooden platform is 20mm
- Thickness of rubber matt on sides is 50mm



E6255
BELT SQUAT

- LXWXH: 194X148X133 CM



E6256
PENDULUM SQUAT

- Comes with adjustable footplate angles
- LXWXH: 243X141X167 CM



E6257
BELT HIP THRUST

- LXWXH: 151X157X90 CM



E6258
TRICEP EXTENSION / DIP

- Adjustable seat rest for different height
- LXWXH: 123X81X119 CM



E6259
POWER LIFTING BENCH

- Seamless height adjustment.
- Stable structure & exceptional safety for professional use.
- Comes with lever-arm jack system for quick adjustments.
- Removable bench & spotters.
- LXWXH : 208x177x135 CM.



SS SERIES UNIQUE FEATURES

- Instructive - simple, step-by-step instructions and training tips help users get the most out of their exercise. Makes exercise easy and enjoyable

- Steel weight stack cover for user safety and machine protection.



- Seats made from integrated foam to give perfect support and avoid de-shaping even after long use.

- Aircraft spec 5.7mm American LOOS cable with 3,500 lbs breaking strength. End fittings tested to 200,000 cycles using full weight stack.
- Pure steel weight stacks.
- D: 106.2mm powerful nylon pulley in full alignment with cable for lifetime use.

- Classic frame design for professional training
- Tubing: 3mm, 50mm by 100mm flat oval tubing
- Finish: Powder-coated painting color for premium look and also for protection from rusting.

- Compact - space efficient design requires minimal floor space.
- Rubber grip prevent from being slipped.

SS01
CHEST PRESS

- **LXWXH : 138X113X161 CM**
- **Weight Stack : 220 lbs**



SS02
SHOULDER PRESS

- LXWXH : 140X135X161 CM
- Weight Stack : 220 lbs



SS03
BICEP CURL

- **LXWXH : 117X119X161 CM**
- **Weight Stack : 175 lbs**



SS05
MULTI PRESS

- **LXWXH : 189X123X161 CM**
- **Weight Stack : 220 lbs**



SS06
PEC FLY / REAR DELT

- LXWXH : 162X105X200 CM
- Weight Stack : 220 lbs



SS07
LAT PULL / SEATED ROW

- LXWXH : 151X142X226 CM
- Weight Stack : 220 lbs



SS08
LOW ROW

- LXWXH : 175X116X180 CM
- Weight Stack : 220 lbs



SS09
ASSISTED CHIN DIP

- LXWXH : 165X118X229 CM
- Weight Stack : 220 lbs



SS11
ABDUCTOR / ADDUCTOR

- LXWXH : 155X131X161 CM
- Weight Stack : 175 lbs



SS12
SEATED LEG CURL

- LXWXH : 155X127X161 CM
- Weight Stack : 220 lbs



SS13
PRONE LEG CURL

- LXWXH : 169X115X161 CM
- Weight Stack : 220 lbs



SS14
LEG EXTENSION

- LXWXH : 134X127X161 CM
- Weight Stack : 220 lbs



SS15
SEATED LEG CURL / LEG EXTENSION

- LXWXH : 139X127X161 CM
- Weight Stack : 220 lbs



SS17
LAT PULL DOWN

- LXWXH : 124X142X224 CM
- Weight Stack : 220 lbs



SS18
ROTARY TORSO

- LXWXH : 131X107X161 CM
- Weight Stack : 175 lbs



SS20
PRONE LEG CURL / LEG EXTENSION

- LXWXH : 115X113X161 CM
- Weight Stack : 220 lbs



CARBON SERIES UNIQUE FEATURES

The Carbon Series features a rugged textured black finish that is truly unique, this design not only stands out but also exudes elegance and sophistication. It enhances the overall ambience of your gym and provides an exceptional visual and training experience for users. We designed an ergonomic handgrip with a textured surface to distribute the load more evenly, making push and pull movements more safe and effective.

Superior multi-link structure provides stable and uniform resistance throughout the entire range of motion, ensuring more efficient workouts. Mimics the natural movement trajectory of the human body, reducing stress on joints and soft tissues, thereby achieving safety and comfort during training.

BUILT FOR CONTROL
Premium knurled handles provide secure grip and enhanced tactile feedback during training.



Multi-Link system

Thickness of seat: 60 mm
The padded backrests and seats adapt to the shape of the body providing stability and maximum comfort

RUGGED TEXTURED FINISH
Strong, distinctive and all-weather resistant.

200 × 88 MM TUBING
Heavy-duty structural construction.
4 MM TUBE THICKNESS
Designed for stability and durability.






TE 902
ROWING MACHINE

- LXWXH : 154X130X129 CM.



TE 903
SUPER INCLINE CHEST PRESS

- LXWXH : 169X162X195 CM.



TE 904
POWER ROW

- LXWXH : 169X161X163 CM.



TE 906
ISO LATERAL LEG CURL

- LXWXH : 145X190X129 CM.



TE 907
ISO LATERAL PRONE LEG CURL

- LXWXH : 162X180X90 CM.



TE 908
ISO LATERAL BICEP MACHINE

- LXWXH : 122X186X130 CM.



TE 909
DELTOID PRESS

- LXWXH : 196X146X140 CM.



TE 910
INCLINE BENCH PRESS

- LXWXH : 235X154X126 CM.



TE 911
POWER SQUAT

- LXWXH : 225X154X187 CM.



TE 913
TRICEP PRESS

- LXWXH : 122X186X130 CM.



TE 914
VERTICAL CHEST PRESS

- LXWXH : 204X144X190 CM.



TE 916
PENDULUM SQUAT

- LXWXH : 250X121X167 CM.



TE 917
STANDING T BAR

- LXWXH : 94X50X186 CM.



TE 918
DOUBLE DEADLIFT

- LXWXH : 173X169X85 CM.



TE 919
VERTICAL LEG PRESS

- LXWXH : 212X170X210 CM.



TE 920
PULLOVER

- LXWXH : 177X204X152 CM.



TE 922
LAT PULL

- LXWXH : 203X224X163 CM.



TE 923
INCLINE ROW

- LXWXH : 190X167X143 CM.



TE 925
ROLLER HIP THRUST

- LXWXH : 196X124X99 CM.



TE 926
ABDOMINAL CRUNCH

- LXWXH : 177X132X175 CM.



TE 927
MULTI ADJUSTABLE BENCH

- LXWXH : 143X83X49 CM.



TE 928
FLAT BENCH

- LXWXH : 133X83X42 CM.



TE 929
ADJUSTABLE DECLINE BENCH

- LXWXH : 172X83X85 CM.



TE 930
UTILITY BENCH

- LXWXH : 129X83X96 CM.



TE 931
OLYMPIC DECLINE BENCH

- LXWXH : 199X168X126 CM.



TE 932
OLYMPIC INCLINE BENCH

- LXWXH : 191X178X168 CM.



TE 933
OLYMPIC FLAT BENCH

- LXWXH : 182X154X148 CM.



TE 934
PREACHER CURL BENCH

- LXWXH : 135X87X110 CM.



TE 935
BACK EXTENSION BENCH

- LXWXH : 131X85X97 CM.



TE 936
DUAL 45° HIP EXTENSION

- LXWXH : 166X145X97 CM.



TE 937
SEATED CALF

- LXWXH : 146X83X107 CM.



TE 938
SMITH MACHINE

- LXWXH : 220X143X251 CM.



TE 939
HACK SQUAT

- LXWXH : 248X120X158 CM.



TE 940
BELT SQUAT

- LXWXH : 198X124X144 CM.



TE 942
BARBELL RACK

- LXWXH : 100X103X137 CM.



TE 943
2 TIER DUMBBELL RACK

- LXWXH : 215X84X85 CM.



TE 944
3 TIER DUMBBELL RACK

- LXWXH : 215X93X97 CM.



TE 945
DELUXE WEIGHT TREE

- LXWXH : 126X126X112 CM.



TE 946
3D SMITH FID BENCH

- LXWXH : 233X180X145 CM.



TE 949
CIRCULAR LAT PULLDOWN

- LXWXH : 182X184X238 CM.



TE 951
SUPER HIGH ROW

- LXWXH : 248X146X216 CM.



TE 953
KNEELING LEG CURL

- LXWXH : 189X127X138 CM.



TITAN SERIES UNIQUE FEATURES

The Titan Series features a luxurious golden finish that is truly unique, this design not only stands out but also exudes elegance and sophistication. It enhances the overall ambience of your gym and provides an exceptional visual and training experience for users. We designed an ergonomic handgrip with a textured surface to distribute the load more evenly, making push and pull movements more safe and effective.

Superior multi-link structure provides stable and uniform resistance throughout the entire range of motion, ensuring more efficient workouts. Mimics the natural movement trajectory of the human body, reducing stress on joints and soft tissues, thereby achieving safety and comfort during training.









TI 3001
CHEST PRESS

- LXWXH : 167X149X183 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3002
PULL DOWN

- LXWXH : 209X147X204 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3003
SHOULDER PRESS

- LXWXH : 155X183X171 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3004
LOW ROW

- LXWXH : 150X147X187 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3005
INCLINE CHEST PRESS

- LXWXH : 183X148X180 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3006
LEG PRESS

- LXWXH : 256X168X158 CM
- MAX WEIGHT CAPACITY:400Kg/880Lbs



TI 3007
ROW

- LXWXH : 167X135X134 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3023
BICEP CURL

- LXWXH : 161X118X103 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3024
SEATED DIP

- LXWXH : 181X170X105 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3025
ISO LATERAL LEG EXTENSION

- LXWXH : 152X128X117 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3050
WIDE CHEST PRESS

- LXWXH : 169X146X187 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3064
PULLOVER

- LXWXH : 214X163X150 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TI 3066
HIP THRUST

- LXWXH : 192X134X95 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PL SERIES UNIQUE FEATURES

Easy to use, neat appearance, the PL line is a high quality commercial plate loaded series. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.

Tubing: thickness range from 2.5 mm to 3mm, 50mmx100mm tubing, electro-welded to maximum integrity.

Color: black and red (Other colors are optional based on customer requirements)

Finish: Electrostatic powder-coated and heat cured after adhesiveness enhancement pre-treatment for superior durability



Compact - space efficient design requires minimal floor space.

Pad total thickness is 70mm.

Easy-to-use, flexible adjustments allow for optimal exercise positions.








PL4001
CHEST PRESS

- LXWXH : 195X154X171 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4002
PULL DOWN

- LXWXH : 160X145X196 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4003
SHOULDER PRESS

- LXWXH : 176X155X148 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4004
LOW ROW

- LXWXH : 178X143X165 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4005
INCLINE CHEST PRESS

- LXWXH : 152X191X177 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4007
ROW

- LXWXH : 182X150X132 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4008
DECLINE CHEST PRESS

- LXWXH : 192X121X156 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4009
POWER RACK

- LXWXH : 204X116X228 CM



PL4011
FID BENCH

- LXWXH : 136X68X129 CM.



PL4014
HAFL RACK

- LXWXH : 203X116X227 CM.



PL4017
SEATED CALF

- LXWXH : 149X78X84 CM.
- Max Weight Capacity : 150 kg / 330 lbs



PL4020
LEG PRESS

- LXWXH : 250X174X154 CM.
- Max Weight Capacity : 400 kg / 880 lbs



PL4023
BICEP CURL

- LXWXH : 140X104X120 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4024
TRICEP DIP

- LXWXH : 173X158X120 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4025
LEG EXTENSION

- LXWXH : 170X128X122 CM.
- Max Weight Capacity : 120 kg / 264 lbs



PL4026
STANDING LEG CURL

- LXWXH : 170X128X122 CM.
- Max Weight Capacity : 120 kg / 264 lbs



PL4027
BARBELL RACK

- LXWXH : 94X91X151 CM.



PL4028
FLAT BENCH PRESS

- LXWXH : 173X191X131 CM.



PL4029
INCLINE BENCH PRESS

- LXWXH : 205X173X131 CM.



PL4030
DECLINE BENCH PRESS

- LXWXH : 231X173X131 CM.



PL4036
AB BENCH

- LXWXH : 112X143X162 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4041
SUPER OLYMPIC BENCH

- LXWXH : 231X173X131 CM.



PL4050
HIP THRUSTER

- LXWXH : 170X104X84 CM.
- Max Weight Capacity : 300 kg / 660 lbs



PL4055

HALF RACK WITH WOODEN PLATFORM

- LXWXH : 140X110X230 CM.



PL4065

45° ISO LATERAL LEG PRESS

- Max Weight Capacity : 400 kg / 880 lbs



JPL302
SHOULDER PRESS

- LXWXH : 129X128X146 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL303
CHEST PRESS

- LXWXH : 122X141X164 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL304
PULL DOWN

- LXWXH : 112X138X124 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL305
ROW

- LXWXH : 118X139X124 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL306
LOW ROW

- LXWXH : 120X122X163 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL307
LEG PRESS

- LXWXH : 145X210X135 CM
- MAX WEIGHT CAPACITY : 300Kg/660Lbs



JPL308
INCLINE CHEST PRESS

- LXWXH : 153X103X164 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL310
REAR KICK

- LXWXH : 111X143X164 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL312
TRICEP DIP

- LXWXH : 147X154X86 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL313
BICEP CURL

- LXWXH : 106X139X101 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL314
STANDING LEG CURL

- LXWXH : 144X117X142 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL315
LEG EXTENSION

- LXWXH : 124X126X117 CM
- MAX WEIGHT CAPACITY : 250Kg/550Lbs



JPL318
INCLINE PEC FLY

- LXWXH : 163X164X110 CM
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL322
LUNGE / DEADLIFT / SHRUGS

- LXWXH : 162X154X87 CM
- MAX WEIGHT CAPACITY : 400Kg/880Lbs



JPL320
CHEST PRESS / LAT PULLDOWN

- LXWXH : 215X169X203 CM
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL323
ISO FID BENCH

- LXWXH : 188X201X175 CM
- MAX WEIGHT CAPACITY : 160Kg / 350Lbs



JPL329
SMITH SQUAT COMBO

- WITH COUNTER BALANCE MACHINE
- LXWXH : 200X142X218 CM



JPL327
POWER RACK / SMITH MACHINE

- LXWXH : 183X221X219 CM



JPL328
POWER RACK / SMITH MACHINE

- WITH COUNTER BALANCE
- LXWXH : 183X221X219 CM



JPL333
STANDING HIP THRUST

- LXWXH : 117X124X152 CM.



JPL334
FOREARM JUNGLE

- LXWXH : 168X160X133 CM.





JPL335
FOREARM JUNGLE WITH ARM WRESTLING





JPL337
PULLOVER

- LXWXH : 172X166X150 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL338
PULL DOWN

- LXWXH : 173X170X206 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL339
ROWING MACHINE

- LXWXH : 162X172X113 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL340
SHOULDER PRESS

- LXWXH : 186X146X192 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL341
PRECISION CHEST PRESS

- LXWXH : 146X206X168 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL342
3D SMITH HIP THRUST

- LXWXH : 208X151X138 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL343
VERTICAL CHEST PRESS

- LXWXH : 158X101X184 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL344
OVERHEAD PRESS

- LXWXH : 143X97X143 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL345
LAT PULL DOWN

- LXWXH : 205X90X232 CM.
- MAX WEIGHT CAPACITY : 300Kg / 660Lbs



JPL346
INCLINE PRESS

- LXWXH : 173X96X134 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL347
ADJUSTABLE T-BAR

- LXWXH : 210X91X133 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL348
MULTI LOW ROW / DEADLIFT

- LXWXH : 176X139X146 CM.
- MAX WEIGHT CAPACITY : 250Kg / 550Lbs



JPL349
BI-LATERAL REVERSE PULL DOWN

- LXWXH : 162X119X200 CM.
- MAX WEIGHT CAPACITY : 300Kg / 660Lbs



JPL350
HIP TRAINER

- LXWXH : 174X148X80 CM.



BEAST 21
OLYMPIC FLAT BENCH

- LXWXH : 164X153X119 CM



BEAST 22
OLYMPIC INCLINE BENCH

- LXWXH : 184X153X140 CM



BEAST 23
OLYMPIC DECLINE BENCH

- LXWXH : 200X153X119 CM



BEAST 24
HYPER EXTENSION

- LXWXH : 137X97X97 CM



BEAST 26
SEATED CALF

- LXWXH : 145X58X94 CM



BEAST 27
AB BENCH

- LXWXH : 182X99X103 CM



BEAST 30
FLAT BENCH

- LXWXH : 146X73X44 CM



BEAST 29
MULTI AB BENCH

- LXWXH : 172X63X91 CM



BEAST 31
MULTI ADJUSTABLE BENCH

- Option of Flat, Incline & Decline position.
- LXWXH : 178X61X135 CM



BEAST 32
UTILITY BENCH


- LXWXH : 108X53X90 CM



BEAST 33
FID BENCH

- Comes with adjustable flat, incline & decline positions
- Both front & back seats can be adjusted
- Easy to read marking on chrome plate
- Comfortable PU moulded seats
- Heavy duty frame structure with maximum user weight of 140 kg





BEAST 35
45° LEG PRESS

- LXWXH : 249X155X155 CM

BEAST 37
PLATE TREE

LXWXH : 96X63X120 CM.



BEAST 38
PREACHER CURL BENCH

- LXWXH : 113X84X88 CM



Beast 39
Vertical knee raise / Dip stand

- LXWXH : 119X77X136 CM



BEAST 40
DUMBBELL RACK

- LXWXH : 209X81X83 CM
- Can hold 10 pairs.



BEAST 41
3 TIER DUMBBELL RACK

- LXWXH : 213X63X98 CM
- Can hold 15 pairs.



FL6002
PREACHER CURL BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 117X75X90 CM



FL6005
SEATED CALF RAISE

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 132X67X91 CM



FL6007
HYPER EXTENSION

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 125X68X90 CM



FL6009
FLAT BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 128X60X49 CM



FL6010
VERTICAL KNEE RAISE / DIP STAND

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 109X75X158 CM




FL6011
MULTI ADJUSTABLE BENCH

- Flat / Incline / Decline position
- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 158X54X135 CM



FL6012
DUMBBELL RACK

- Paint Finish : Electrostatic Powder Coating
- Unique adjustable Lower base in order to accommodate dumbbell of different sizes / types
- Pipe Size : 100x50x2.5 mm
- LXWXH : 208X53X81 CM



FL6013
MULTI AB BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 178X69X92 CM




FL6014
OLYMPIC FLAT BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 170X159X137 CM



FL6015
OLYMPIC INCLINE BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 178X159X151 CM



FL6016
OLYMPIC DECLINE BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 195X159X137 CM



FL6018
DUMBBELL RACK

- Paint Finish : Electrostatic Powder Coating
- Pipe Size : 100x50x2.5 mm
- LXWXH : 200X51X80 CM



FL6019
INCLINE T BAR

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 188X99X122 CM



FL6020
FID BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 145X51X132 CM



FL6021
SUPER SQUAT

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 190X175X185 CM



FL6022
UTILITY BENCH

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 101X81X88 CM



FL6024
DELUXE UTILITY STOOL

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 120X81X88 CM




FL6041
4 WAY OLYMPIC BENCH

- Unique Flat / Incline / Decline / Shoulder position
- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant leatherite
- Pipe Size : 100x50x2.5 mm
- LXWXH : 167X172X163 CM



FL6063
3 TIER DUMBBELL RACK

- Paint Finish : Electrostatic Powder Coating
- Pipe Size : 100x50x2.5 mm
- LXWXH : 175X81X92 CM



FL6064
PLATE TREE

- Paint Finish : Electrostatic Powder Coating
- Pipe Size : 100x50x2.5 mm
- LXWXH : 82X68X133 CM



FL6033
HALF RACK

- Paint Finish : Electrostatic Powder Coating
- Pipe Size : 100x50x2.5 mm
- LXWXH : 136X175X245 CM



FL6043
HALF RACK WITH PLATFORM

- Paint Finish : Electrostatic Powder Coating
- Pipe Size : 100x50x2.5 mm
- Rack Size : LXWXH : 136X175X245 CM
- Rubber tile thickness : 25mm
- Wooden board thickness : 25mm



IFHC
HALF CAGE

- This base system provides the ultimate in safety and exercise variety.
- Self spotting triple chromed bar racking system for safer free weight solo workouts.
- Includes multiple plate holders for convenient racking.
- Adjustable safety spotters accommodates:
- LXWXH : 118X182X209 CM.



IFHCS
HALF CAGE SMITH ATTACHMENT

- Optional for IF-HC.
- LXWXH : 195X30X173 CM.



IFSS
SQUAT STAND

- Self spotting triple chromed bar racking system for safer solo workouts.
- Angled uprights for better squat and bench exercises.
- Multiple plate holders for convenient storage.
- Adjustable safety spotters
- LXWXH : 123X128X174 CM.



IFAAB
ADJUSTABLE ABDOMINAL BENCH

- Over sized bench padding for maximum comfort.
- Dual transport wheels for easy movement.
- LXWXH : 168X57X115 CM.



IFAC
ABDOMINAL CRUNCH

- Fixed decline angle for basic abdominal workout.
- LXWXH : 110X48X58 CM.



IF45
45°HYPEREXTENSION

- Adjustable thigh pads for proper positioning and support.
- 45 degree angle for optimal results.
- Dual transport wheels for easy movement.
- LXWXH : 121X74X77 CM.



IFSPC
SEATED PREACHER CURL

- Bar catch design for easy re-racking.
- Adjustable oversized arm pad.
- LXWXH : 102X71X82 CM.



IFFB
FLAT BENCH

- Wide base for added safety.
- Dual rear transport wheels for easy movement.
- LXWXH : 130X53X49 CM.



IFOIB
INCLINE BENCH

- LXWXH : 156X131X119 CM.



IFODB
DECLINE BENCH

- LXWXH : 190X131X115 CM



IFOB
OLYMPIC BENCH

- Excellent adjustable uprights.
- Expandable with drop in attachment. Options - IF-LEGA & IF-ARMA.
- Fully adjustable decline to shoulder press.
- LXWXH : 144X126X147 CM.



ROBO ARM ECO

DUAL CABLE CROSSOVER

- STURDY DESIGN
- Weight stack : 230lbs x 2



FTSM

FUNCTIONAL TRAINER CUM SMITH MACHINE

- STURDY DESIGN
- Weight stack : 200lbs x 2
- LXWXH : 258X102X248 CM





KH212
DUAL TWISTER

- Durable commercial grade construction.
- With Double Ball Bearings.
- Ergonomically Designed Handles.
- LXWXH : 137X47X127 CM.



KH230
SKI CORE BALANCE BOARD



KH260
GORILLA GRIPPER / WRIST CURL

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant latherite
- Pipe Size : 100x50x2.5 mm
- Weight Stack : 60 KGS
- LXWXH : 58X57X103 CM



KH271
SISSY SQUAT

- Sturdy Design.



KH272
SISSY SQUAT

- Sturdy Design.



KH273
TIBIA TRAINER

- Sturdy Design.



KH275
WRIST CURL

- Sturdy Design.
- Weight Stack : 175 lbs



KH276
WRIST CURL

- Sturdy Design
- Weight Stack : 110 lbs



KH280
WRIST CURL

- Paint Finish : Electrostatic Powder Coating
- Seats : Tear resistant latherite
- Pipe Size : 100x50x2.5 mm
- Weight Stack : 88 LBS
- LXWXH : 47X62X100 CM



KH285
STANDING LATERAL RAISE

- Commercial Grade.
- Sturdy Frame.
- Weight stack : 130 LBS.
- LXWXH : 145X81X150 CM



KH286
GLUTE HAM DEVELOPER

- Commercial Grade.
- Sturdy Frame.
- LXWXH : 184X112X124 CM



KH287
MULTI PURPOSE STORAGE RACK

- Commercial Grade.
- Sturdy Frame.
- Ideal for Dumbbells, Medicine balls, Kettle bells etc.
- LXWXH : 198X63X180 CM



KH288
ACCESSORIES RACK





KH300
FUNCTIONAL TRAINER

- Comes with double pulley on both sides
- Weight Stack : 100X2 kg
- LXWXH : 85X207X225 CM



KH303
BARBELL RACK

- Sturdy Design
- LXWXH : 44X44X17 CM
- For 9 rods



KH305
BARBELL RACK

- Sturdy Design
- For 5 rods



KH320
BICEP CURL STAND

- Commercial Grade.
- Sturdy Frame.
- Can store upto 6 Olympic hole plates.
- LXWXH : 122X46X73 CM



KH322
AB MAT



KH321
REVOLVING BARBELL RACK

- Can Hold 12 Pcs Barbells.



KH646
TRIPLE STORAGE RACK

- **Can store upto 12 barbells, 24 weight plates and 8 pcs kettle bell.**



X75
FID BENCH

- Durable commercial grade construction.
- Heavy duty frame structure.
- Options of flat, incline & decline position.
- Can be used for multiple exercises.



X76
BRIDGE BENCH

- Durable commercial grade construction.
- Heavy duty frame structure.
- Options of flat, incline & decline position.
- Can be used for multiple exercises.



X100
MULTI PURPOSE BENCH

- Flat, incline & decline position.
- With preacher curl attachment.
- With leg extension & prone leg curl.



X150
3 WAY OLYMPIC BENCH

- Flat, incline & decline position.
- With smooth & convenient seat adjustment.
- LXWXH : 241X188X142 CM.



X300
SMITH MACHINE



X500
HALF RACK

- **DIMENSIONS :** 126X115X200 CMS
- **MAXIMUM WEIGHT LOADING CAPACITY : 200 KGS**



X900
FTSM

- FUNCTIONAL TRAINER CUM SMITH MACHINE
- DIMENSIONS : 205X147X232 CMS
- WEIGHT STACK OF 80 KG X 2
- MAXIMUM WEIGHT LOADING CAPACITY : 200 KGS



SAVAGE
MULTI TRAINER

- FUNCTIONAL TRAINER CUM SMITH MACHINE CUM MULTI GYM
- DIMENSIONS : 180X219X227 CMS
- WEIGHT STACK OF 100 KG X 2
- MAXIMUM WEIGHT LOADING CAPACITY : 200 KGS



618LP ENDURANCE

HEAVY DUTY COMMERCIAL MULTI GYM

- State-of-the-art design with heavy duty steel structure
- 4 station gym with 3 steel weight stacks of 90 Kgs each
- Multiple Exercise Function – Leg press, Shoulder press, Chest press, Lat pull, Seated row and all high / low pulley exercises
- Comfortable seat pads
- All weight stacks attached at right angle for maximum space saving when placed in a corner
- Durable powder coated finish
- Arc cover for protection
- LXWXH : 269X239X216 CM



618EC POWER HOUSE

HEAVY DUTY COMMERCIAL MULTI GYM

- State-of-the-art design with heavy duty steel structure
- 4 station gym with 3 steel weight stacks of 90 Kgs each
- Multiple Exercise Function – Leg extension, Prone leg curl, Shoulder press, Chest press, Lat pull, Seated row and all high / low pulley exercises
- Comfortable seat pads
- All weight stacks attached at right angle for maximum space saving when placed in a corner
- Durable powder coated finish
- Arc cover for protection
- LXWXH : 269X239X216 CM



318LP
MULTI GYM

- Innovative design and ideal for corporate & society use
- Multi station gym with 1 steel weight stacks of 90 Kgs.
- Multiple Exercise Function – Seated bench press, Row, Pull down, Chest clamp, Tricep push down, Standing abdominal curl, Leg extension, Standing leg curl, Standing bicep curl, Golf, Arm extension, Front raise, Shrugs & Leg press.
- Durable powder coated finish
- Comfortable seat pads
- Arc cover for protection
- LXWXH : 219X222X213 CM



318MG
MULTI GYM

- Innovative design and ideal for corporate & society use
- Multi station gym with 1 steel weight stacks of 90 Kgs.
- Multiple Exercise Function – Seated bench press, Row, Pull down, Chest clamp, Tricep push down, Standing abdominal curl, Leg extension, Standing leg curl, Standing bicep curl, Golf, Arm extension, Front raise & Shrugs.
- Durable powder coated finish
- Comfortable seat pads
- Arc cover for protection
- LXWXH : 213X150X213 CM



418CA STAR
COMMERCIAL MULTI GYM

- Innovative design & ideal for corporate or socity use.
- 6 station gym with
  2 STEEL weight stacks of 70 Kgs each.
- Multiple Exercise Function -
  Leg extension, Leg press, Hi-Lo pully, Tricep extension,
  Lat pull, Bicep curl, Pec Dec, Multi press,
  Abdominal crunch, Bicep curl, Bench press,
  Vertical knee raise, Chin up & Dips stand etc.
- Durable powder coated finish.
- Comfortable seat pads.
- Arc cover for protection.
- LXWXH : 332X244X230 CM.





418BA STELLA

LIGHT COMMERCIAL MULTI GYM

- Innovative design & ideal for corporate or socity use.
- 5 station gym with
  2 weight stacks of 65 Kgs each.
- Multiple Exercise Function -
  Leg extension, Leg press, Hi-Lo pully, Chin up,
  Lat pull, Bicep curl, Pec Dec, Multi press, Tricep extension,
  Abdominal crunch, Bicep curl, Bench press, Vertical knee raise etc.
- Durable power coated finish.
- Comfortable seat pads.
- Arc cover for protection.
- LXWXH : 332X240X230 CM.



518LC CHAMPION

LIGHT COMMERCIAL MULTI GYM

- 4 station gym with
  4 weight stacks of 68 Kgs each.
- Exercise Function - Leg press, Chest press
  Leg extension, Pec fly, Lat pull,
  Bicep curl, Rowing etc.
- Durable power coated finish.
- Ergonomic Design / Scientific Biomechanics.
- LXWXH : 250X250X220 CM



IMPULSE ZONE

Customized Group Functional Training



TOP VIEW



X-SHAPE

PRODUCT DIMENSION
7489x3139x2446 (mm)
294.8x123.6x96.3 (in)

ENERGY 360

WITH ACCESSORIES

- LXWXH : 450X400X250 CM.





8 PCS TRX



9 METERS



MEDICINE BALL
5 SETS



2 PAIRS





5 SETS





TOP VIEW



D-SHAPE

PRODUCT DIMENSION
3235x2855x2400 (mm)
127.3x112.4x94.4 (in)

KH308

SUSPENSION TRAINING RACK

- Sturdy Design.
- LXWXH : 312X206X251 CM.



WEIGHT LIFTING PLATFORM

- Extra heavy duty steel platform
- Platform size is 8'x6'
- Rubber tile thickness 30mm
- Board thickness 30mm
- Steel frame 50mm



WEIGHT LIFTING PLATFORM JUNIOR

- Heavy duty steel platform.
- Platform size is 8'x4'
- Rubber tile thickness 25mm
- Board thickness 20mm
- Steel frame 50mm



RUBBER COATED VIVA POWER FIXED BARBELLS WITH STRAIGHT AND CURL HANDLE BAR

- Made from high grade virgin rubber for long life.
- Dia 30mm and length 100cm.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
10
15
20
25
30
35
40

RUBBER COATED VIVA FORCE FIXED BARBELLS WITH STRAIGHT AND CURL HANDLE BAR

- Made from high grade virgin rubber for long life.
- Dia 30mm and length 100cm.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
10
15
20
25
30
35
40

VIVA THERMO POWER SOLID DUMBBELLS

- Made from high grade thermoplastic rubber (TPR) for long life.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
2.5
5
7.5
10
12.5
15
17.5
20
22.5
25
30
35
40
45
50

VIVA POWER SOLID DUMBBELL

- Made from high grade virgin rubber for long life.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
2.5
5
7.5
10
12.5
15
17.5
20
22.5
25
27.5
30
35
40
45
50

VIVA FORCE DUMBBELLS

- Made from high grade rubber compound for long life.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
2.5
5
7.5
10
12.5
15
17.5
20
22.5
25
27.5
30
35
40
45
50

HEXAGON DUMBBELL

Made from rubber for long life.
Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
2.5
5
7.5
10
12.5
15
17.5
20
25

BLACK CHALLENGER
BUMPER PLATES

- Made from virgin rubber.
- No smell & less bounce.
- Comes with beveled edge & knurled grip.



AVAILABLE SIZES
KGS
5
10
15
20
25

COLOURED
BUMPER PLATES

- Made from high quality rubber.

AVAILABLE SIZES
KGS
5
10
15
20
25



VIVA FITNESS TPR
OLYMPIC HOLE PLATES

- Made from high grade thermoplastic rubber for long life.
- Tear proof, soundless & bouncy effect.



AVAILABLE SIZES
KGS
1.25
2.5
5
7.5
10
15
20
25

VIVA LEGACY
OLYMPIC HOLE PLATES

- Made from high quality MS Steel
- Comes with outer TPU cover to protect flooring
- SS bush for easy loading & unloading



AVAILABLE SIZES
KGS
5
7.5
10
15
20
25

VIVA POWER
OLYMPIC HOLE PLATES

- Patented : Unique Anti Roll Design
- Made From Durable And Premium Grade Virgin Rubber
- Aesthetically Designed With Epdm Red Granules
- Ergonomically Designed Grips
- Long Lasting Aluminium Bushes



AVAILABLE SIZES
KGS
1.25
2.5
5
7.5
10
15
20
25

VIVA FORCE
OLYMPIC HOLE PLATES

- Made from high grade virgin rubber for long life.
- Tear proof, soundless & bouncy effect



AVAILABLE SIZES
KGS
2.5
5
7.5
10
15
20
25

NEOPRENE
KETTLE BELL



AVAILABLE SIZES
KGS
2
4
8
12
16
20
24
28
32

KH289
DUMBBELL TO KETTLE BELL CONVERTER

- Recommended for dumbbells below 20 kgs



IR94088
STRONGMAN THICK BARBELL

- Unique 50 mm grip bar
- Hard chrome tempered alloy steel
- Max loading : 1600 lbs
- 7.2 ft olympic length.
- Net weight : 20 kgs.



IR101
COMPETITION OLYMPIC BAR

- Net weight : 20 kgs.
- 7.2 ft olympic length.
- Flexible barbell made from heat treated Spring Steel.
- High quality nickel chrome finish.
- Comes with 2 bronze bush & 4 needle bearing.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Shaft length : 51.5".
- Sleeve length : 15.2"
- Max. load capacity : 907 kg / 2000 Lbs.



IR106
COMPETITION OLYMPIC BAR

- Net weight : 20 kgs.
- 7.2 ft olympic length.
- Flexible barbell made from heat treated Spring Steel.
- High quality Camouflage Military green finish.
- Comes with 2 bronze bush & 4 needle bearing.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Shaft length : 51.5".
- Sleeve length : 15.2"
- Max. load capacity : 907 kg / 2000 Lbs.



LEGACY 1001
HEAVY DUTY OLYMPIC BAR

- Net weight : 20 kgs.
- 7.2 ft Olympic length.
- Metal composition EN 8.
- Coating : Hard Chrome.
- Comes with 2 bronze bush & 4 high quality bearings.
- Shaft diameter : 30mm.
- Sleeve diameter : 50mm.
- Sleeve length : 15".
- Max load capacity 816 kg / 1800 lbs.



LEGACY 1002
HEAVY DUTY OLYMPIC BAR

- Net weight : 20 kgs.
- 7.2 ft Olympic length.
- Metal composition EN 8
- Coating : Nickle.
- Comes with 2 bronze bush & 4 high quality bearings.
- Shaft diameter : 30mm.
- Sleeve diameter : 50mm.
- Sleeve length : 15".
- Max load capacity 816 kg / 1800 lbs.



IR94039
HEAVY DUTY OLYMPIC BAR

- Net weight : 20 kgs.
- 7.2 ft olympic length.
- Made from carbon steel.
- High quality nickel chrome finish.
- Shaft diameter : 30mm.
- Sleeve diameter : 50mm.
- Sleeve length : 14".
- Max. load capacity : 816 kg / 1800 Lbs.



IR94038
OLYMPIC BAR

- Net weight : 16 kgs.
- 7.2 ft olympic length.
- Made from carbon steel.
- High quality nickel chrome finish.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Sleeve length : 14".



IR94052
72" OLYMPIC BAR

- Net weight : 13 kgs.
- High quality nickel chrome finish.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Sleeve length : 11".



IR94051
60" OLYMPIC BAR

- Net weight : 11 kgs.
- High quality nickel chrome finish.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Sleeve length : 10".



IR94048
48" OLYMPIC BAR

- Net weight : 10 kgs.
- High quality nickel chrome finish.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Sleeve length : 8".



IR94047
47" EZ CURL BAR

- Net weight : 10 kgs.
- High quality nickel chrome finish.
- Shaft diameter : 28mm.
- Sleeve diameter : 50mm.
- Sleeve length : 8".



IR102
MULTI GRIP BAR

- Size : 2.2 meter



IR94083
56" OLYMPIC BAR



IR94025
14" REGULAR RUBBER HANDLE HOLLOW BAR

- Matches our small hole rubber plates



IR94045
OB20" OLYMPIC BAR



IR94046
OLYMPIC TRICEP BAR



IR94061
COLLAR



IR94064
OLYMPIC BAR COLLAR (PLASTIC)



IR94065
OLYMPIC BAR COLLAR (TPR)



IR95069
NYLON LAT ROPE



IR95070
SINGLE GRIP NYLON LAT BAR



IR95071
TRICEP ROPE 70 CMS



IR95017
32" SOLID LAT BAR



IR95015
48" SOLID LAT BAR



IR95021



IR95020
20" SOLID LAT BAR



IR95023



IR95022



IR95025



IR95024



IR95019



IR95026



IR95029



IR108
SAFETY SQUAT BAR



IR95028



IR94089
OLYMPIC BAR PIVOT



IR107
SPIRAL TRICEP ROPE



IR94090
T BAR HANDLE



IR103
ROPE TRAINNER

- Unique cardio workout
- Adjustable resistance control



IR104
FLY WHEEL ROPE TRAINER

- Unique cardio workout
- Adjustable resistance control



IR110
DEADLIFT MINI JACK



IR111
DOUBLE DEADLIFT JACK



IR112
SQUAT WEDGE 20°



IR113
WEIGHT STACK PIN



IR115
OB HAND GRIP BAR



IR116
REVOLVING HANDLE GRIP



IR117
CABLE ATTACHMENT



IR118
PULL DOWN HANDLE ATTACHMENT



IR119
WEIGHT LIFTING GRIP



IR120
STRAP HANDLE



IR121
HANDLE GRIP



IR122
LAT PULLDOWN V-HANDLE



WOODEN PEG BOARD



WOODEN DECK WITH CRASH PADS



POUND PAD



CLUB BAR



AVAILABLE SIZES
KGS
2
4
6
8
10
12
15
20

MAG HANDLE
SET OF 5



MAG HANDLE PRO BUNDLE
SET OF 8



ANGLED LATPULL DOWN HANDLE
SET OF 5



MAG HANDLE
SET OF 3



TANKSLED



SLED WITH TYRES



POWER SLED

- Heavy metal Construction with Shoulder Harness
- Good for all Push Pull
- Drag Sports & Speed Training
- Dual side operational



WEIGHT SLED
HYPER PRO


- Heavy metal Construction with Shoulder Harness
- Good for all Push Pull
- Drag Sports & Speed Training



OUR CLIENTS...


DLF
BUILDING INDIA
ireo
THE BIG MULTIPLIER
supertech
Ambuja Cement
LARSEN & TOUBRO
MACKENZIE
SYNOPSYS
Accelerating innovation
Mahindra Satyam
UltraTech CEMENT
The Engineer's Choice
VLCC
ZELA
Reliance
Country Club
Why go anywhere else
TAJ
Hotels Resorts and Palaces
SINO-SWISS HOTEL
भारतीय वायु सेना
INDIAN AIR FORCE
ओएनजीसी
ONGC
RAMADA INN
Rajpath Club Ltd.
GAEKWAD BARODA GOLF CLUB
BARODA CRICKET ASSOCIATION
HYUNDAI
SPA HIBISCUS
HYPE
karma
THE FITNESS STUDIO
Club Florence
wine • dine • good times
AFC
Amplified Fitness Centre
CLUB VERDE VISTA
by CONCLAVE
POLARIS
live your dream
APARNA
DINAZ'S
Fitlifez
clubpulse
fitness suites
adani
IDBI BANK
GMR
AIRPORTS AUTHORITY OF INDIA
LOVELY PROFESSIONAL UNIVERSITY
accenture
High performance. Delivered.
SAROVAR PORTICO
SUITES
Hindustan Unilever Limited
इंडियनऑयल
IndianOil
TATA
vodafone
ANYA
GURGAON
Indian Navy
C2
Younger For Life
JK Cement LTD.
Rajasthan State Mines & Minerals
CHUNDA PALACE
HINDUSTAN ZINC LIMITED
REVITAL GYM & SPA
Radisson BLU

WE DESIGN YOUR FITNESS PROJECT



GYM DESIGN

Our in-house professional design team create gym layout and propose interior schemes to maximise your investment potential in terms of user demand and diversity. Making the best use of available space and incorporating natural features, branding and equipment selection, these are visualized 2D and 3D format with full 3D-rendered animations also available.

A COMPLETE SOLUTION

With more then 16 years experience of running of our own gyms plus unrivalled business planning, operational and management experience, Viva Fitness has the know-how to plan & budget your project along with the hands-on management, qualified expertise and staffing resources to partner you every step of the way towards your ultimate success.

SCAN FOR DOWNLOADING
THE COMPLETE CATALOGUE

VIVA FITNESS

PUSH YOURSELF

CELEBRATING 50 YEARS OF EXCELLENCE

MARKETED IN INDIA BY :

Soccer International Private Limited

www.vivafitness.net www.tunturiindia.com www.californiafitness.in www.bodysolid.com

* All pictures / models are indicative only * Design and price is subject to change without prior notice * Conditions apply * GST extra